

Trust PRIMO DRAADLOZE MSE

Merk : Trust

Artikelcode: 20322

Productnaam : PRIMO DRAADLOZE MSE

- Draadloos bereik van 6 meter
 - Knop voor muisgevoeligheid 1000-1600 dpi
 - Op te bergen micro-USB-ontvanger
 - Aan/uit-schakelaar
 - Voor zowel rechts- als linkshandige gebruikers
- Draadloze muis, 1600dpi, USB

Trust PRIMO DRAADLOZE MSE:

Draadloze optische muis

Trust PRIMO DRAADLOZE MSE. Vormfactor: Ambidextrous. Bewegingsdetectietechnologie: Optisch, Aansluiting: RF Draadloos, Bewegingsresolutie: 1600 DPI, Soort knoppen: Drukknoppen, Aantal knoppen: 4, Scroll type: Wiel. Stroombron: Batterijen. Kleur van het product: Zwart



Muis		Energie			
Aansluiting *	RF Draadloos	Stroombron *	Batterijen		
Bewegingsdetectietechnologie *	Optisch	Ondersteund aantal accu's/batterijen	2		
Soort knoppen	Drukknoppen	Type batterij	AAA		
Scroll type *	Wiel	Minimale systeemeisen			
Scroll	✓	Ondersteunt Windows Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks			
Aantal knoppen *	4				
Bewegingsresolutie	1600 DPI				
Aanbevolen gebruik	Universeel				
Aanpasbare bewegingsresolutie	✓				
Aantal bewegingsresolutiemodi	2				
Aantal scroll wheels	1				
Design				Ondersteunt Mac-besturingssysteem	
Vormfactor *	Ambidextrous				
Kleur van het product *	Zwart				
Oppervlakte kleur	Monochromatisch				
LED-indicatoren	✓				
Ergonomie		Gewicht en omvang			
Aan/uitschakelaar	✓	Breedte	55 mm		
Aansluitbereik	6 m	Diepte	40 mm		
		Hoogte	95 mm		
		Gewicht	75 g		
		Inhoud van de verpakking			
		Wireless ontvanger interface	USB Type-A		

Verpakking

Aantal * 1

Logistieke gegevens

Code geharmoniseerd systeem (HS) 84716070



8713439203226

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 02-MAR-2024. Prints or copies of Information are only valid on the printed Publication date