

TP-Link Omada SG2218P netwerk-switch Managed L2/L2+ Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) 1U Zwart

Merk : TP-Link

Productfamilie: Omada

Artikelcode: SG2218P

Productnaam : SG2218P



TP-Link Omada SG2218P. Switch type: Managed, Switch-laag: L2/L2+. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 16. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 26,78 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ab, IEEE.... Power over Ethernet (PoE). Rack-montage, Vormfactor: 1U

Beheerfuncties		Beveiliging	
Switch type *	Managed	MAC adres filtering	✓
Switch-laag	L2/L2+	Statische poort beveiliging	✓
Quality of Service (QoS)	✓	SSH/SSL support	✓
Web-gebaseerd management	✓	Bescherming lus	✓
Cloud-beheerd	✓	BPDU filtering / bescherming	✓
ARP-inspectie	✓	Authenticatie	MAC-gebaseerde authenticatie, Poortgebaseerde authenticatie
Locatie-instellingen (CLI) configureren	✓		
System event log	✓		
MIB-ondersteuning	MIB II (RFC1213), Bridge MIB (RFC1493), P/Q-Bridge MIB (RFC2674), Radius Accounting Client MIB (RFC2620), Radius Authentication Client MIB (RFC2618), Remote Ping, Traceroute MIB (RFC2925), Support TP-Link private MIBs, RMON MIB(RFC1757, rmon 1,2,3,9)	Multicast-functies	
		Multicast-ondersteuning	✓
		Multicast-functies	Multicast-doorsturen
		Design	
		Rack-montage *	✓
		Vormfactor	1U
		Kleur van het product	Zwart
		LED-indicatoren	✓
Poorten & interfaces		Energie	
Aantal basis-switching RJ-45 Ethernet-poorten *	16	Stroombron *	DC/PoE
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Vermogenstoevoer inclusief *	✓
Aantal moduleslots SPF	2	AC-ingangsspanning	100 - 240 V
		AC-ingangsfrequentie	50/60 Hz
		Vermogensverbruik (max)	181,4 W
Netwerk		Power over Ethernet (PoE)	
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power over Ethernet (PoE) *	✓
		Totaal Power over Ethernet (PoE)-budget	150 W
10G support *	✗	Eisen aan de omgeving	
IP routing	✓	Bedrijfstemperatuur (T-T)	0 - 50 °C
Op beleid gebaseerde routing	✓	Temperatuur bij opslag	-40 - 70 °C
Datastroombeheer	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Verbindingsaggregatie	✓	Luchtvochtigheid bij opslag	5 - 90 procent
Broadcast stormbeheer	✓	Warmtedissipatie	619,06 BTU/h
Rate limiting	✓	Gewicht en omvang	
Auto MDI/MDI-X	✓	Breedte	440 mm
Spanning tree protocol	✓	Diepte	180 mm
		Hoogte	44 mm

Netwerk		Inhoud van de verpakking	
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Meegeleverde kabels	LAN (RJ-45)
Auto-negotiation	✓	Gebruiksaanwijzing	✓
VLAN=ondersteuning	✓	Verpakking	
Data-uitwisseling		Type verpakking	Doos
		Certificaten	
Switchingcapaciteit *	26,78 Gbit/s	Certificering	CE, FCC, RoHS
Verzending snelheid	26,78 Mpps		
MAC-adrestabel *	8000 entries		
Jumbo Frames ondersteuning	✓		
Jumbo frames	9		
Packet buffergeheugen	4,1 MB		
Beveiliging			
DHCP-functies	DHCP client, DHCP relay, DHCP snooping		
Access Control List (ACL)	✓		



4897098689509

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.