

ZYXEL

Zyxel XGS2220-30 Managed L3 Gigabit Ethernet (10/100/1000) Zwart



Merk : Zyxel

Artikelcode: XGS2220-30-EU0101F

Productnaam : XGS2220-30

Zyxel XGS2220-30. Switch type: Managed, Switch-laag: L3. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24, Aantal geïnstalleerde SFP+ modules: 4. MAC-adrestabel: 32000 entries, Switchingcapaciteit: 168 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1x, IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3an,....
Rack-montage

Beheerfuncties		Protocollen	
Switch type *	Managed	GARP VLAN Registratieprotocol (GVRP)	✓
Switch-laag	L3	Design	
Quality of Service (QoS)	✓	Rack-montage *	✓
Web-gebaseerd management	✓	Kleur van het product	Zwart
Cloud-beheerd	✓	LED-indicatoren	✓
ARP-inspectie	✓	Prestatie	
Poorten & interfaces		Intern geheugen	1024 MB
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Flash memory	64 MB
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Mean time between failures (MTBF)	520,185 uur
Aantal 10G Ethernet (koper)poorten	2	Energie	
Aantal geïnstalleerde SFP+ modules *	4	Stroombron *	AC
Netwerk		Vermogenstoevoer inclusief *	✓
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1x, IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3x, IEEE 802.3z	AC-ingangsspanning	100 - 240 V
		AC-ingangsfrequentie	50 - 60 Hz
10G support *	✓	Vermogensverbruik (max)	37,62 W
Routing entries	64	Power over Ethernet (PoE)	
Data-uitwisseling		Power over Ethernet (PoE) *	✗
Switchingcapaciteit *	168 Gbit/s	Eisen aan de omgeving	
Verzending snelheid	125 Mpps	Bedrijfstemperatuur (T-T)	-20 - 50 °C
MAC-adrestabel *	32000 entries	Temperatuur bij opslag	-40 - 70 °C
Statische route	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 95 procent
Jumbo Frames ondersteuning	✓	Luchtvochtigheid bij opslag	10 - 90 procent
Packet buffergeheugen	2 MB	Warmtedissipatie	128,28 BTU/h
Beveiliging		Gewicht en omvang	
DHCP-functies	DHCP relay, DHCP server	Breedte	441 mm
IGMP snooping	✓	Diepte	270 mm
IGMP-proxy	✓	Hoogte	44 mm
Ondersteunde beveiligingsalgoritmen	SNMP, SNMPv2, SNMPv3	Gewicht	3,4 kg
BPDU filtering / bescherming	✓	Verpakking	
Authenticatie type	IEEE 802.1x, RADIUS, TACACS+	Breedte verpakking	616 mm
		Diepte verpakking	355 mm
		Hoogte verpakking	107 mm
		Gewicht verpakking	4,73 kg

Multicast-functies		Certificaten	
Multicast-ondersteuning	✓	Certificaten van naleving	CE, Federal Communications Commission (FCC), Laagspanningsrichtlijn (LVD), RoHS
Multicast Listener Discovery (MLD) snooping	MLD v1/v2		



4718937624942

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-AUG-2025. Prints or copies of Information are only valid on the printed Publication date