

StarTech.com 10G5A2CS-USB-C-HUB interface hub USB 3.2 Gen 2 (3.1 Gen 2) Type-C 10000 Mbit/s Zilver

Merk : StarTech.com

Artikelcode: 10G5A2CS-USB-C-HUB

Productnaam : 10G5A2CS-USB-C-HUB

StarTech.com 7-Port USB-C Hub, 5x USB-A + 2x USB-C, Self-Powered met 65W Power Supply, USB 3.1 10Gbps, Desktop/Laptop USB Hub, 0.9m USB-IF Gecertificeerde Locking Kabel, USB C Hub (10G5A2CS-USB-C-HUB)

StarTech.com 10G5A2CS-USB-C-HUB interface hub USB 3.2 Gen 2 (3.1 Gen 2) Type-C 10000 Mbit/s Zilver:

Voeg 5x USB-A en 2x USB-C poorten toe aan een USB-C desktop/laptop

The StarTech.com Advantage

StarTech.com 10G5A2CS-USB-C-HUB. Hostinterface: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, Hub-interfaces: USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-C. Overdrachtssnelheid: 10000 Mbit/s, Kleur van het product: Zilver, LED-indicatoren: Status. Soort voeding: DC, Stroomverbruik (typisch): 65 W, Ingangsspanning: 100 - 240 V. Breedte: 80 mm, Diepte: 115 mm, Hoogte: 30 mm. Breedte verpakking: 170 mm, Diepte verpakking: 225 mm, Hoogte verpakking: 93 mm



Poorten & interfaces		Verpakking	
Hostinterface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Breedte verpakking	170 mm
Hub-interfaces *	USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Diepte verpakking	225 mm
Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type A	5	Hoogte verpakking	93 mm
Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type C	2	Gewicht verpakking	287 g
Aantal poorten *	7	Inhoud van de verpakking	
Aansluiting voor netstroomadapter	✓	Inclusief AC-adapter	✓
Kenmerken		Inbegrepen soorten voedingsstekkers	EU, UK, US
Overdrachtssnelheid *	10000 Mbit/s	Meegeleverde kabels	USB Type-C naar USB Type-C
Kleur van het product	Zilver	Eisen aan de omgeving	
LED-indicatoren	Status	Bedrijfstemperatuur (T-T)	0 - 50 °C
Kabelhulsmateriaal	Thermoplastische elastomeer (TPE)	Temperatuur bij opslag	-20 - 70 °C
Snoerlengte	1 m	Relatieve vochtigheid in bedrijf (V-V)	0 - 95 procent
Netwerk		Duurzaamheid	
UASP-ondersteuning	✓	Naleving van duurzaamheid	✓
Energie		Logistieke gegevens	
Soort voeding	DC	(Buitenste) hoofdverpakking breedte	272 mm
Stroomverbruik (typisch)	65 W	(Buitenste) hoofdverpakking lengte	380 mm
Ingangsspanning	100 - 240 V	(Buitenste) hoofdverpakking hoogte	510 mm
Spanning	19 V	Hoeveelheid per (buitenste) hoofdverpakking	10 stuk(s)
Output current	3,42 A	Technische details	
Type stekker	Type M	Certificaten van naleving	CE, RoHS
Gewicht en omvang		Overige specificaties	
Breedte	80 mm	Chipset	VIA - VL822-Q7, VIA - VL162
Diepte	115 mm		
Hoogte	30 mm		

Gewicht en omvang

Gewicht 287 g



0065030899086



065030899086

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-SEP-2024. Prints or copies of Information are only valid on the printed Publication date