Samsung 49" Odyssey OLED G9 G93SC DQHD 240Hz Gaming Monitor

Merk : Samsung

Productfamilie: Odyssey

Artikelcode: LS49CG934SUXEN

Productnaam : 49" Odyssey OLED G9 G93SC DQHD 240Hz Gaming Monitor

49" Odyssey OLED G93SC DQHD Gaming Monitor, Curved 1800R, 5120 x 1440, 32:9, 250cd/[], 0.03ms, VESA DisplayHDR True Black 400, HDR10+

Samsung 49" Odyssey OLED G9 G93SC DQHD 240Hz Gaming Monitor. Beeldschermdiagonaal: 124,5 cm (49"), Resolutie: 5120 x 1440 Pixels, HD type: Dual QHD, Display technologie: OLED, Responstijd: 0,03 ms, Oorspronkelijke beeldverhouding: 32:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde luidsprekers. Ingebouwde USB-hub, Versie USB-hub: 3.2 Gen 1 (3.1 Gen 1). VESA-montage, In hoogte verstelbaar. Kleur van het product: Zilver

124.5 cm (49")

Dual QHD

5120 x 1440 pixels





Display

Display diagonal *
Display resolution *
HD type *
Native aspect ratio *
Display technology *
Panel type *
Display brightness (typical)
Display brightness (min)
Response time *
Response time measurement type
Screen shape *
Screen curvature rating
Contrast ratio (typical) *
Maximum refresh rate *
Refresh rate optimizor
Viewing angle, horizontal
Viewing angle, vertical
Display number of colours *
Viewable size, horizontal
Viewable size, vertical
Display diagonal (metric)
High Dynamic Range (HDR)
supported
High Dynamic Range (HDR) technology

Colour gamut standard Colour gamut Quantum dot color technology

Performance

NVIDIA G-SYNC *	
NVIDIA G-SYNC type	
AMD FreeSync *	
AMD FreeSync type	
VESA Adaptive Sync support	

	200. 9.12	Tilt adjustment
	32:9	Tilt angle range
	OLED	Picture-in-Picture
	OLED	Black eQualizer functi
	250 cd/m²	Black eQualizer functi
	200 cd/m ²	Power
	0.03 ms	Energy efficiency class
•	GTG (Gray to Gray)	Energy efficiency class
	Curved	Energy consumption (
	1800R	hours *
	1000000:1 240 Hz	Energy consumption (1000 hours *
	×	Power consumption (t
	178°	Power consumption (r
	178°	Power consumption (c
	1 billion colours	Power supply type
	119.7 cm	Energy efficiency scal
		European Product Rec
	33.9 cm	Energy Labelling (EPR
	124 cm	
		Energy Labelling (EPR
	124 cm ✓ DisplayHDR 400 True Black, High	Energy Labelling (EPR
	124 cm ✓ DisplayHDR 400 True Black, High Dynamic Range 10+ Gaming	Energy Labelling (EPR Operational conditional conditatica conditional conditional conditional conditional conditi
	124 cm ✓ DisplayHDR 400 True Black, High Dynamic Range 10+ Gaming (HDR10 Plus Gaming)	Energy Labelling (EPR Operational condition Operating temperatur Operating relative hur Weight & dimension
	124 cm ✓ DisplayHDR 400 True Black, High Dynamic Range 10+ Gaming (HDR10 Plus Gaming) DCI-P3	Energy Labelling (EPR Operational condition Operating temperatur Operating relative hur Weight & dimension Width (with stand)
	124 cm ✓ DisplayHDR 400 True Black, High Dynamic Range 10+ Gaming (HDR10 Plus Gaming) DCI-P3 99%	Energy Labelling (EPR Operational condition Operating temperatur Operating relative hur Weight & dimension Width (with stand) Depth (with stand)
	124 cm ✓ DisplayHDR 400 True Black, High Dynamic Range 10+ Gaming (HDR10 Plus Gaming) DCI-P3	Energy Labelling (EPR Operational condition Operating temperatur Operating relative hur Weight & dimension Width (with stand) Depth (with stand) Height (with stand)
	124 cm ✓ DisplayHDR 400 True Black, High Dynamic Range 10+ Gaming (HDR10 Plus Gaming) DCI-P3 99%	Energy Labelling (EPR Operational condition Operating temperatur Operating relative hur Weight & dimension Width (with stand) Depth (with stand) Height (with stand) Weight (with stand)
	124 cm ✓ DisplayHDR 400 True Black, High Dynamic Range 10+ Gaming (HDR10 Plus Gaming) DCI-P3 99%	Energy Labelling (EPR Operational condition Operating temperatur Operating relative hur Weight & dimension Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand)
	124 cm ✓ DisplayHDR 400 True Black, High Dynamic Range 10+ Gaming (HDR10 Plus Gaming) DCI-P3 99% ✓	Energy Labelling (EPR Operational condition Operating temperatur Operating relative hur Weight & dimension Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand)
	124 cm ✓ DisplayHDR 400 True Black, High Dynamic Range 10+ Gaming (HDR10 Plus Gaming) DCI-P3 99% ✓	Energy Labelling (EPR Operational condition Operating temperatur Operating relative hur Weight & dimension Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Weight (without stand) Depth (without stand) Height (without stand)
	124 cm ✓ DisplayHDR 400 True Black, High Dynamic Range 10+ Gaming (HDR10 Plus Gaming) DCI-P3 99% ✓ G-SYNC Compatible ✓	Energy Labelling (EPR Operational condition Operating temperatur Operating relative hur Weight & dimension Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand)
	124 cm ✓ DisplayHDR 400 True Black, High Dynamic Range 10+ Gaming (HDR10 Plus Gaming) DCI-P3 99% ✓ ✓ G-SYNC Compatible ✓ FreeSync Premium Pro	Energy Labelling (EPR Operational condition Operating temperatur Operating relative hur Weight & dimension Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Weight (without stand) Depth (without stand) Height (without stand)
	124 cm ✓ DisplayHDR 400 True Black, High Dynamic Range 10+ Gaming (HDR10 Plus Gaming) DCI-P3 99% ✓ G-SYNC Compatible ✓	Energy Labelling (EPR Operational condition Operating temperatur Operating relative hur Weight & dimension Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Height (without stand)

Ergonomics	
Pivot	×
Swivelling	×
Tilt adjustment	
Tilt angle range	-2 - 15°
Picture-in-Picture	· · ·
Black eQualizer function	
	•
Power	
Energy efficiency class (SDR) *	G
Energy efficiency class (HDR) *	G
Energy consumption (SDR) per 1000 hours *	75 kWh
Energy consumption (HDR) per 1000 hours *	87 kWh
Power consumption (typical) *	75 W
Power consumption (max)	220 W
Power consumption (off)	0.3 W
Power supply type	External
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	1596927
Operational conditions	
Operating temperature (T-T)	10 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Weight & dimensions	
Width (with stand)	1194.7 mm
Depth (with stand)	284.1 mm
Height (with stand)	529.3 mm
Weight (with stand)	12.6 kg
Width (without stand)	1194.7 mm
Depth (without stand)	180.8 mm
Height (without stand)	365 mm
Weight (without stand)	8.8 kg
Packaging data	
Stand type	HAS stand

Performance		Packaging data	
Flicker-free technology	1	Package width	1352 mm
Game mode	×	Package depth	474 mm
Game features	Super Arena Gaming UX	Package height	240 mm
Smart modes	FPS, RPG, RTS, Sports	Package weight	18.1 kg
Windows operating systems supported	Windows 10	Packaging content	
Multimedia		Cables included Installation CD	DisplayPort, HDMI to Micro-HDMI
Number of speakers	2	Power cable length	× 1.5 m
RMS rated power	10 W	-	1.5 m
Built-in speaker(s) *		Other features	
Adaptive Sound Control (ASC)	×	Brand specific technologies	Black Equalizer
Built-in camera *	×	Low input lag	٠
	^	TV Plus	×
Design		Works with Samsung Bixby	×
Market positioning *	Consumer	Wireless Dex support	×
Product colour *	Silver	Tap view	×
Feet colour	Silver	Far-field voice interaction	×
Ports & interfaces		Universal guide	×
Built-in USB hub *	1	Multi View	×
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Local dimming	×
Number of upstream ports	1	Power consumption (DPMS)	0.5 W
USB Type-A downstream ports	2	Picture-by-Picture (PbP)	Image: A start of the start
quantity DVI port	×	Samsung Eye Saver Mode	1
HDMI *	~ ✓	Anynet + (HDMI-CEC)	×
HDMI ports quantity	1	Daisy chain	×
HDMI version	2.1	Video colour modes	Custom, Eco, Entertain, Game,
Micro HDMI ports quantity	1	video colour modes	Graphic, Standard
DisplayPorts quantity	1	Eco Saving Plus	×
DisplayPort version	1.4	Image size	Yes
Audio input	×	Wireless display	×
Headphone out *	×	Gray balance	No
Built-in KVM switch	×	Disclaimer	×
HDCP	×	Factory tunning	Yes
Network		Adaptive picture	×
Wi-Fi	×	Auto source switch Off Timer Plus	
Bluetooth	×		
Ethernet LAN	×	Smart calibration	×
Ergonomics		Knox vault Workspace	×
VESA mounting *	1	Factory calibration report	~
Panel mounting interface	• 100 x 100 mm		
Height adjustment *	100 X 100 mm	Uniformity correction	×
Adjustable height (max)	• 12 cm	Virtual AIM point	
Augustubie neight (mdk)		My contents	×



8806095053653

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.