



TP-Link TL-SG1008P Managed Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grijs

Merk : TP-Link

Artikelcode: TL-SG1008P V3

Productnaam : TL-SG1008P

8x 10/100/1000Mbps RJ45, PoE, 16Gbps, 8K Mac Address, 53W, Grijs
TP-Link TL-SG1008P. Switch type: Managed. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. MAC-adrestabel: 4000 entries, Switchingcapaciteit: 16 Gbit/s. Netwerkstandaard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. DC voltage input: 53.5 V. Netstekker: DC-in ingang. Power over Ethernet (PoE)



Beheerfuncties		Prestatie	
Switch type *	Managed	Maximum kabellengte	100 m
Quality of Service (QoS)	✗	Fanloos	✓
Poorten & interfaces		Technische details	
Aantal basis-switching RJ-45 Ethernet-poorten *	8	Certificaten van naleving	CE, Federal Communications Commission (FCC), RoHS
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Energie	
Aantal Gigabit Ethernet (koper)-poorten	8	Stroombron *	DC/PoE
Netstekker	DC-in ingang	Vermogenstoevoer inclusief *	✓
Netwerk		Aantal voedingen	1
Netwerkstandaard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	AC-ingangsspanning	100 - 240 V
10G support *	✗	AC-ingangsfrequentie	50/60 Hz
Koperen ethernetbekabelingstechnologie	1000BASE-T, 100BASE-TX, 10BASE-T	DC voltage input	53.5 V
Ondersteundende kabel types	Cat3, Cat4, Cat5, Cat5e	Stroom	1.31 A
Datastroombeheer	✓	Vermogensverbruik (max)	75 W
Auto MDI/MDI-X	✓	Power over Ethernet (PoE)	
Auto-negotiation	✓	Power over Ethernet (PoE) *	✓
MAC-adres zelflerende functie	✓	Hoeveelheid Power over Ethernet (PoE) ports	4
MAC-adres zelfverouderende functie	✓	Totaal Power over Ethernet (PoE)-budget	64 W
Data-uitwisseling		Eisen aan de omgeving	
Switchingcapaciteit *	16 Gbit/s	Bedrijfstemperatuur (T-T)	0 - 40 °C
Verzending snelheid	11,904 Mpps	Temperatuur bij opslag	-40 - 70 °C
MAC-adrestabel *	4000 entries	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Store-and-forward	✓	Luchtvochtigheid bij opslag	5 - 90 procent
Jumbo Frames ondersteuning	✓	Warmtedissipatie	225,75 BTU/h
Jumbo frames	16000	Gewicht en omvang	
Beveiliging		Breedte	171 mm
IGMP snooping	✓	Diepte	98 mm
Design		Hoogte	27 mm
Rack-montage *	✗	Verpakking	
Stapelbaar *	✗	Meegeleverde kabels	AC
Kleur van het product	Grijs	Gebruiksaanwijzing	✓
Materiaal behuizing	Metaal	Type verpakking	Doos
		Breedte verpakking	223 mm

Design		Verpakking	
LED-indicatoren	✓	Diepte verpakking	280 mm
		Hoogte verpakking	68 mm
		Gewicht verpakking	900 g
		Duurzaamheid	
		Naleving van duurzaamheid	✓



6935364021160



6935364021177



0845973021160



845973021160

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.