



TP-Link TL-SG2210P Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Zwart

Merk : TP-Link

Artikelcode: TL-SG2210P V3

Productnaam : TL-SG2210P



TP-Link TL-SG2210P. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8, Console port: RJ-45. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 20 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1p, IEEE 802.1Q, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ab, IEEE 802.3ad, IEEE.... Power over Ethernet (PoE)



Beheerfuncties		Beveiliging	
Switch type *	Managed	SSH/SSL support	✓
Switch-laag	L2	BPDU filtering / bescherming	✓
Quality of Service (QoS)	✓	Multicast-functies	
Web-gebaseerd management	✓	Multicast-ondersteuning	✓
MIB-ondersteuning	✓	Design	
Poorten & interfaces		Kleur van het product	Zwart
Aantal basis-switching RJ-45 Ethernet-poorten *	8	LED-indicatoren	Link, Power over Ethernet (PoE), Stroom
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Certificering	CE, FCC, RoHS
Aantal moduleslots SFP	2	Prestatie	
Fibre channel-poorten	2	Compatibele besturingssystemen	Microsoft® Windows® 98SE, NT, 2000, XP, Vista™ or Windows 7/8, MAC® OS, NetWare®, UNIX® or Linux.
Vezel-optische connector	SFP	Fanloos	✓
Console port	RJ-45	Minimale systeemeisen	Microsoft® Windows® 98SE, NT, 2000, XP, Vista™ or Windows 7/8, MAC® OS, NetWare®, UNIX® or Linux.
Netwerk		Energie	
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1p, IEEE 802.1Q, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Stroombron *	AC
10G support *	✗	Vermogenstoevoer inclusief *	✓
Koperen ethernetbekabelingstechnologie	1000BASE-T, 1000BASE-TX, 10BASE-T	AC-ingangsspanning	100 - 240 V
Port mirroring	✓	AC-ingangsfrequentie	50 - 60 Hz
Datastroombeheer	✓	Vermogensverbruik (max)	75,3 W
Verbindingsaggregatie	✓	Power over Ethernet (PoE)	
Broadcast stormbeheer	✓	Power over Ethernet (PoE) *	✓
Rate limiting	✓	Aantal Power over Ethernet plus (PoE +)-poorten	8
Spanning tree protocol	✓	Totaal Power over Ethernet (PoE)-budget	58 W
VLAN=ondersteuning	✓		
Virtuele LAN-functies	MAC address-based VLAN, Multicast VLAN, Protocol-based VLAN, Voice VLAN		
Aantal VLANs	4000		

Optische vezel		Eisen aan de omgeving	
Fiber ethernet cabling technologie	1000BASE-X, 100BASE-FX	Bedrijfstemperatuur (T-T)	0 - 40 °C
Fiber type	Multimode	Temperatuur bij opslag	-40 - 70 °C
Data-uitwisseling		Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Switchingcapaciteit *	20 Gbit/s	Luchtvochtigheid bij opslag	5 - 90 procent
Verzending snelheid	14,88 Mpps	Gewicht en omvang	
MAC-adrestabel *	8000 entries	Breedte	209 mm
Aantal wachtrijen	4	Diepte	126 mm
Jumbo Frames ondersteuning	✓	Hoogte	26 mm
Jumbo frames	9000	Verpakking	
Packet buffergeheugen	4,1 MB	Meegeleverde kabels	AC
Beveiliging		Snelstartgids	✓
DHCP-functies	DHCP client, DHCP snooping, DHCPv6 client, DHCPv6 snooping	Breedte verpakking	240 mm
Access Control List (ACL)	✓	Diepte verpakking	315 mm
IGMP snooping	✓	Hoogte verpakking	70 mm
Ondersteunde beveiligingsalgoritmen	SNMP, SSH, SSH-2	Gewicht verpakking	1,25 kg
MAC adres filtering	✓	Logistieke gegevens	
		Code geharmoniseerd systeem (HS) 85176990	



6935364022013



0690338941702



690338941702



6935364030704

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.