be quiet! Dark Base 701 Black Midi Tower Zwart

be quiet! Dark Base 701 Black. Vormfactor: Midi Tower, Soort: PC, Kleur van het product: Zwart. Ondersteunde vormfactoren stroomvoorziening: ATX, PS2. Aantal geïntstalleerde ventilators voorkant: 1x 140 mm, Voorste ventilators ondersteunende diameters: 120,140 mm, Geïnstalleerde ventilators achterkant: 1x 140 mm. Ondersteunde HDD-groottes: 2.5,3.5". Breedte: 249 mm, Diepte: 565 mm,

Merk : be quiet!

Hoogte: 495 mm

Productnaam : Dark Base 701 Black

Artikelcode: BGW58





Design		Cooling	
Material	Acrylonitrile butadiene styrene	Top fans installed	1x 140 mm
Form factor *	(ABS), Glass, Steel Midi Tower	Number of top fans supported (max)	3
Type *	PC	Top fans diameters supported	120,140 mm
Product colour *	Black	Number of bottom fans supported	
Supported motherboard form		(max)	1
factors *	ATX, EATX, micro ATX, Mini-ITX	Bottom fans diameters supported	120,140 mm
Number of 3.5" bays *	3	Fan speed	0 - 1900 RPM
Number of 2.5" bays	2	Maximum airflow	78.4 cfm
Number of expansion slots	10	Noise level (high speed)	29.3 dB
Side window	 Image: A set of the set of the	Fan rated voltage	12 V
Illumination	1	Fan rated current	0.4 A
Illumination colour	Multi	Fan power consumption	4.8 W
Illumination location	Front	Maximum air pressure	2.36 mmH2O
Tempered glass panel(s)	1	Front radiator sizes supported	120,140,240,280,360 mm
Anti-dust filter	1	Rear radiator sizes supported Top radiator sizes supported	120 mm
On/off button	1		140,240,360,120,280 mm
RGB control button	1	Storage	
Maximum CPU cooler height	18.5 cm	Supported HDD sizes *	2.5,3.5"
Maximum graphics card length	41.5 cm	Technical details	
Maximum PSU length	26 cm	Sustainability compliance	1
Power supply		Sustainability certificates	Triman
Power supply included *	×	Compliance certificates	CE, REACH, RoHS, UKCA, WEEE
Supported power supply form	ATX, PS2	Weight & dimensions	
factors		Width	249 mm
Ports & interfaces		Depth	565 mm
Audio input	1	Height	495 mm
Audio output	1	Weight	12.8 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Packaging data	,
USB 3.2 Gen 2 (3.1 Gen 2) Type-C	1	LED controller	✓ 242 mm
ports quantity *	T	Package width	343 mm
Cooling		Package depth Package height	594 mm 670 mm
Front fans installed	1x 140 mm	Package neight	670 mm 15.5 kg
		i ackage weight	10.0 KY

Cooling		Other features	
Number of front fans supported (max) Front fans diameters supported Rear fans installed	3 120,140 mm 1x 140 mm	Volume Fan connector Mean time between failures (MTBF)	69.64 L 4-pin 300000 h
Number of rear fans supported (max)	1		
Rear fans diameters supported	120,140 mm		



4260052190654

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.