



TP-Link Omada EAP773 draadloos toegangspunt (WAP) 9300 Mbit/s Wit Power over Ethernet (PoE)

Merk : TP-Link

Productfamilie: Omada

Artikelcode: EAP773

Productnaam : EAP773

TP-Link Omada EAP773. 2,4 GHz, 5 GHz, 6 GHz, Maximale overdrachtssnelheid van gegevens: 9300 Mbit/s. Ondersteunde beveiligingsalgoritmen: SNMP, SNMPv2, SNMPv3, WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise. Ethernet LAN, data-overdrachtsnelheden: 10,100,1000,10000 Mbit/s. Power over Ethernet (PoE). Kleur van het product: Wit



Kenmerken		Beveiliging	
2,4 GHz *	✓	Remote Authentication Dial-In User Service (RADIUS)	✓
5 GHz *	✓	Access Control List (ACL)	✓
6 GHz *	✓	Beheerfuncties	
Maximale overdrachtssnelheid van gegevens *	9300 Mbit/s	Web-gebaseerd management	✓
Maximale overdrachtssnelheid van gegevens (2.4 GHz)	574 Mbit/s	Syslog	✓
Maximale overdrachtssnelheid van gegevens (5 GHz)	2880 Mbit/s	Upgraden van firmware mogelijk	✓
Maximale overdrachtssnelheid van gegevens (6 GHz)	5760 Mbit/s	Poorten & interfaces	
Ethernet LAN, data-overdrachtsnelheden	10,100,1000,10000 Mbit/s	Aantal Ethernet LAN (RJ-45)-poorten *	1
Frequentieband	2.4 - 6 GHz	Aansluiting voor netstroomadapter	✓
Netwerkstandaard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n	Energie	
Aantal gebruikers	128 gebruiker(s)	Power over Ethernet (PoE) *	✓
Automatische kanaalselectie	✓	DC voltage bereik	12 V
Automatisch scannen kanalen	✓	Design	
MIMO	✓	Plaatsing *	Plafond, Muur
MIMO-type	Multi User MIMO	Kleur van het product *	Wit
Spread spectrum methode	OFDMA	Reset button	✓
Fit AP-modusfuncties	Vermaasd netwerk	LED-indicatoren	✓
VLAN=ondersteuning	✓	Antenne	
Rate limiting	✓	Soort antenne *	Intern
Datastroombeheer	✓	Gewicht en omvang	
Bandbreedteaansturing	✓	Breedte	220 mm
		Diepte	220 mm
		Hoogte	32,5 mm

Kenmerken		Verpakking	
Airtime Fairness (ATF)	✓	Type verpakking	Doos
Quality of Service (QoS)	✓	Inhoud van de verpakking	
BeamForming	✓	Aantal per verpakking	1 stuk(s)
Beveiliging		Montage gereedschap	✓
Ondersteunde beveiligingsalgoritmen *	SNMP, SNMPv2, SNMPv3, WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise	Snelstartgids	✓
MAC adres filtering	✓		



4895252506501



4895252506518



0840030711916



840030711916

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.