



TP-Link JetStream TL-SG3428X-UPS netwerk-switch Managed L2+/L3 Gigabit Ethernet (10/100/1000) 1U Zwart

Merk : TP-Link

Productfamilie: JetStream

Artikelcode: TL-SG3428X-UPS

Productnaam : TL-SG3428X-UPS



TP-Link JetStream TL-SG3428X-UPS. Switch type: Managed, Switch-laag: L2+/L3. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24, Console port: RJ-45/Micro-USB. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 128 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3x. Netstekker: DC-in ingang. Rack-montage, Vormfactor: 1U



Beheerfuncties		Beveiliging	
Switch type *	Managed	Statische poort beveiliging	✓
Switch-laag	L2+/L3	SSH/SSL support	✓
Quality of Service (QoS)	✓	Bescherming lus	✓
Web-gebaseerd management	✓	BPDU filtering / bescherming	✓
Cloud-beheerd	✓	IP-MAC-Port binding	✓
Traffic-classificatie	✓	Authenticatie	Gast-VLAN, MAC-gebaseerde authenticatie, Poortgebaseerde authenticatie, Webgebaseerde authenticatie
ARP-inspectie	✓		
Locatie-instellingen (CLI) configureren	✓		
System event log	✓	Authenticatie type	AAA, TACACS+
MIB-ondersteuning	RFC2925, RFC2618, RFC2620, RFC2021, RFC2819, RFC2674, RFC1493, RFC1643, RFC2233, RFC1213	Algoritmen wachtrijplanning	SP, WRR+SP, Weighted Round Robin (WRR)
Poorten & interfaces		Multicast-functies	
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Multicast-ondersteuning	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Multicast Listener Discovery (MLD) snooping	✓
Aantal moduleslots SPF+	4	Protocollen	
Console port	RJ-45/Micro-USB	Beheerprotocollen	SNMPv1/v2c/v3, SNMP
Netstekker	DC-in ingang	IPv4- & IPv6-functies	IPv6 Telnet, IPv6 ping, IPv6 tracer
Netwerk		Design	
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3x	Rack-montage *	✓
10G support *	✓	Stapelbaar *	✓
Port mirroring	✓	Vormfactor	1U
IP routing	✓	Kleur van het product	Zwart
		Reset button	✓
		LED-indicatoren	✓

Netwerk		Energie	
Datastroombeheer	✓	Stroombron *	AC
Verbindingsaggregatie	✓	Vermogenstoevoer inclusief *	✓
Broadcast stormbeheer	✓	AC-ingangsspanning	100 - 240 V
Rate limiting	✓	AC-ingangsfrequentie	50/60 Hz
Spanning tree protocol	✓	Vermogensverbruik (max)	31,9 W
Head-of-line (HOL) blocking	✓	Power over Ethernet (PoE)	
VLAN=ondersteuning	✓	Power over Ethernet (PoE) *	✗
Virtuele LAN-functies	Private VLAN, Protocol-based VLAN, Voice VLAN	Eisen aan de omgeving	
Aantal VLANs	4000	Bedrijfstemperatuur (T-T)	0 - 45 °C
Data-uitwisseling		Temperatuur bij opslag	-40 - 70 °C
Switchingcapaciteit *	128 Gbit/s	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Verzending snelheid	95,23 Mpps	Luchtvochtigheid bij opslag	5 - 90 procent
MAC-adrestabel *	16000 entries	Warmtedissipatie	108,84 BTU/h
Aantal wachtrijen	8	Gewicht en omvang	
Statische route	✓	Breedte	440 mm
Jumbo Frames ondersteuning	✓	Diepte	180 mm
Jumbo frames	9000	Hoogte	44 mm
Packet buffergeheugen	12 MB	Inhoud van de verpakking	
Beveiliging		Meegeleverde kabels	AC
DHCP-functies	DHCP relay, DHCP server, DHCP snooping, DHCPv6 client, DHCPv6 snooping	Snelstartgids	✓
Access Control List (ACL)	✓	Gebruikershandleiding	✓
IGMP snooping	✓	Rekbevestigingspakket	✓
Ondersteunde beveiligingsalgoritmen	HTTPS, SSH, SSH-2, SSL/TLS	Verpakking	
MAC adres filtering	✓	Type verpakking	Doos
		Certificaten	
		Certificering	CE, FCC, RoHS



4897098687734

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.