

NETGEAR GS724TP-300EUS netwerk-switch Managed L2/L3/L4
Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Blauw

Merk : NETGEAR

Artikelcode: GS724TP-300EUS

Productnaam : GS724TP-300EUS



NETGEAR GS724TP-300EUS. Switch type: Managed, Switch-laag: L2/L3/L4. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24. Full duplex. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 52 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1ab, IEEE 802.1as, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE.... Netstekker: DC-in ingang. Power over Ethernet (PoE). Rack-montage

Beheerfuncties		Beveiliging	
Switch type *	Managed	SSH/SSL support	✓
Switch-laag	L2/L3/L4	Multicast-functies	
Quality of Service (QoS)	✓	Multicast-ondersteuning	✓
Web-gebaseerd management	✓	Aantal gefilterde multicast-groepen	128
System event log	✓	Protocollen	
Poorten & interfaces		Beheerprotocollen	SNMP v1/v2/v3
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Design	
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Rack-montage *	✓
Aantal moduleslots SPF	2	Stapelbaar *	✓
Netstekker	DC-in ingang	Kleur van het product	Blauw
Netwerk		LED-indicatoren	Activiteit, Link, Snelheid
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1ab, IEEE 802.1as, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3x, IEEE 802.3z	Aantal ventilatoren	3 ventilator(en)
		Certificering	CE, FCC, VCCI, EN, C-Tick, CCC, CSA, UL/cUL, IEC
10G support *	✓	Prestatie	
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-T, 100BASE-TX, 1000BASE-T	Upgraden van firmware mogelijk	✓
Port mirroring	✓	Mean time between failures (MTBF)	634966 uur
Full duplex	✓	Energie	
IP routing	✓	Vermogenstoevoer inclusief *	✓
Datastroombeheer	✓	AC-ingangsspanning	100 - 240 V
Verbindingsaggregatie	✓	Vermogensverbruik (max)	446,7 W
Broadcast stormbeheer	✓	Power over Ethernet (PoE)	
Spanning tree protocol	✓	Power over Ethernet (PoE) *	✓
VLAN=ondersteuning	✓	Totaal Power over Ethernet (PoE)-budget	380 W
Aantal VLANs	64	Eisen aan de omgeving	
Optische vezel		Bedrijfstemperatuur (T-T)	0 - 50 °C
Fiber ethernet cabling technologie	1000BASE-LX, 1000BASE-SX	Temperatuur bij opslag	-20 - 70 °C
Data-uitwisseling		Relatieve vochtigheid in bedrijf (V-V)	0 - 90 procent
Switchingcapaciteit *	52 Gbit/s	Luchtvochtigheid bij opslag	0 - 95 procent
MAC-adrestabel *	8000 entries	Hoogte, in bedrijf	0 - 3000 m
Store-and-forward	✓	Gewicht en omvang	
Aantal wachtrijen	8	Breedte	440 mm
Aantal statische routes	32	Diepte	204 mm
Jumbo Frames ondersteuning	✓	Hoogte	43 mm
Jumbo frames	9216		

Data-uitwisseling		Gewicht en omvang	
Packet buffergeheugen	0,512 MB	Gewicht	3,7 kg
Beveiliging		Verpakking	
DHCP-functies	DHCP client	Meegeleverde kabels	AC
Access Control List (ACL)	✓	Snelstartgids	✓
IGMP snooping	✓	Gebruiksaanwijzing	✓
Ondersteunde beveiligingsalgoritmen	802.1x RADIUS, HTTPS, SSL/TLS	Gebruikershandleiding	✓
MAC adres filtering	✓		



0606449162660



606449162660



(01)10606449162667

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.