


## TerraMaster F2-424 data-opslag-server NAS Desktop Intel® N N95 8 GB DDR5 Zwart

Merk : TerraMaster Artikelcode: F2-424

**Productnaam:** F2-424





Storage		Performance	
Supported storage drive interfaces	Serial ATA	Backup features	Cloud, USB drive
Storage drive sizes supported	2.5,3.5"	Multilingual support	✓
Maximum supported storage	44 TB	Number of users	2048 user(s)
capacity  RAID support *	<b>✓</b>	Noise level	19 dB
RAID levels	0, 1, 5, 6, 10, JBOD	Third-party support	1
Hot-swap drive bays	√ (1, 5, 0, 10, jb0b	Snapshot	1
,	BTRFS, FAT32, HFS+, NTFS, ext3,	Management protocols	SNMP
Supported file systems	ext4	Security algorithms	AES, HTTPS, SNMP, SSH
Storage drives installed *	×	Access Control List (ACL)	<b>✓</b>
Number of storage drives supported	2	On/off switch	Consta Characa Marilla Finafa
Installed storage drive type *	×	Browser supported	Google Chrome, Mozilla Firefox, Apple Safari, Microsoft Edge
Installed storage drive type * Supported storage drive types *	HDD & SSD	System log	✓
	1100 & 330	Hot spare	<b>✓</b>
Processor		S.M.A.R.T. support	<b>✓</b>
Processor manufacturer *	Intel® N	Share folder	512
Processor family * Processor model *	N95	Universal Plug and Play (UPnP)	✓
Processor boost frequency	3.4 GHz	Software	
Processor cores	4	Windows operating systems	
Processor threads	4	supported	✓
Processor cache	6 MB	Linux operating systems supported	✓
Memory		Mac operating systems supported	✓
Internal memory *	8 GB	Other operating systems supported	Android, iOS
Internal memory type	DDR5	Power	
Maximum RAM supported	32 GB	Power supply unit (PSU) capacity	40 W
Memory form factor	SO-DIMM	Power consumption (typical)	22 W
ECC	×	AC input voltage	100 - 240 V
Network		AC input frequency	50 - 60 Hz
Ethernet LAN *	1	Weight & dimensions	
Ethernet LAN data rates	1000,2500 Mbit/s	Width *	119 mm
iSCSI support	✓	Depth *	154 mm
Wake-on-LAN ready	✓	Height *	222 mm
Supported network protocols	CIFS/SMB, NFS, FTP, SFTP, HTTPS, SSH, iSCSI, SNMP	Weight Package width	2.2 kg 220 mm
Link aggregation	✓	Package depth	170 mm
Dynamic DNS (DDNS)	✓	Package height	258 mm
Ports & interfaces		Packaging content	
USB port *	✓	External power adapter	✓

Ports & interfaces		Packaging content	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	) Type-A 2	Cables included Quick installation guide	AC, LAN (RJ-45) ✓
HDMI ports quantity HDMI version	1 2.0b	Sustainability	
Ethernet LAN (RJ-45) ports *	2	Sustainability compliance	✓
Concurrent connections	512	Operational conditions	
Design Chassis type *	Desktop	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 5 - 95%
Cooling type *	Active	Storage temperature (T-T)	-20 - 60 °C
Product colour Number of fans	Black 1 fan(s)	Other features	
Fan diameter	8 cm	Digital Living Network Alliance (DLNA) certified	<b>✓</b>
Performance		Warranty period	2 year(s)
Type * Device class *	NAS Home & Home Office	Compliance certificates	CCC, CE, Federal Communications Commission (FCC), KC, RoHS, WEEE
Backup function *	✓	Certification	FCC, CE, CCC, KC



6939236144667

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.