

Canon PIXMA MG2556S Inkjet A4 4800 x 600 DPI

Merk : Canon

Productfamilie: PIXMA

Artikelcode: 0727C076

Productnaam : MG2556S

Canon PIXMA MG2556S. Printtechnologie: Inkjet, Printen: Afdrukken in kleur, Maximale resolutie: 4800 x 600 DPI. Kopiëren: Kopiëren in kleur. Scannen: Scannen in kleur, Optische scanresolutie: 600 x 1200 DPI. Duplex functies: Printen. Maximale ISO A-series papierformaat: A4. Kleur van het product: Grijs



Printing		Paper handling	
Duplex printing mode	Manual	ISO A-series sizes (A0...A9) *	A4, A5
Print technology *	Inkjet	ISO B-series sizes (B0...B9)	B5
Printing *	Colour printing	Non-ISO print media sizes	Legal, Letter
Duplex printing *	✓	Envelopes sizes	Com-10, DL
Maximum resolution *	4800 x 600 DPI	Photo paper sizes	10x15,13x18 cm
Print speed (ISO/IEC 24734) mono	8 ipm	Paper tray media weight	64 - 105 g/m²
Print speed (ISO/IEC 24734) colour	4 ipm		
Copying		Ports & interfaces	
Copying *	Colour copying	USB port	✓
Maximum number of copies	21 copies	USB connector	USB Type-B
Scanning		Network	
Scanning *	Colour scanning	Wi-Fi *	✗
Optical scanning resolution *	600 x 1200 DPI	Ethernet LAN *	✗
Maximum scan area	216 x 297 mm		
Scanner type *	Flatbed scanner		
Scan technology	CIS		
Input colour depth	48 bit		
Output colour depth	24 bit		
Input greyscale depth	16 bit		
Output greyscale depth	8 bit		
Fax			
Faxing *	✗		
Features			
Duplex functions *	Print		
Number of print cartridges *	2		
Printing colours *	Black, Cyan, Magenta, Yellow		
Input & output capacity			
Total number of input trays *	1		
Total input capacity *	60 sheets		
Paper handling		Design	
Maximum ISO A-series paper size *	A4	Product colour *	Grey
Paper tray media types *	Envelopes, Photo paper, Plain paper	Market positioning *	Home & office
		Built-in display *	✗
		Power	
		Power consumption (copying)	9 W
		Power consumption (standby)	1 W
		Power consumption (off)	0.4 W
		AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz
		System requirements	
		Windows operating systems supported	Windows 10, Windows 11, Windows 8, Windows 8.1, Windows Vista, Windows XP
		Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.7.5 Lion
		Operational conditions	
		Operating temperature (T-T)	5 - 35 °C
		Weight & dimensions	
		Width	426 mm
		Depth	306 mm
		Height	145 mm

Weight & dimensions	
Weight	3.5 kg
Packaging content	
Cartridge(s) included	✓



4549292234244

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-FEB-2025. Prints or copies of Information are only valid on the printed Publication date