



LevelOne IGS-2128 netwerk-switch Managed L2 Gigabit Ethernet (10/100/1000) Zwart

Merk : LevelOne

Artikelcode: IGS-2128



Productnaam : IGS-2128

LevelOne IGS-2128. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 28. Full duplex. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 56 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE.... DC voltage input: 12 - 57 V. Rack-montage



Beheerfuncties		Technische details	
Switch type *	Managed	Aantal lagen per pallet (lucht)	16 stuk(s)
Switch-laag	L2	Pallet brutolengte	80 cm
Quality of Service (QoS)	✓	Pallet brutobreedte	120 cm
Web-gebaseerd management	✓	Certificaten van naleving	CE, Federal Communications Commission (FCC), RoHS, UKCA
Poorten & interfaces		Energie	
Aantal basis-switching RJ-45 Ethernet-poorten *	28	Stroombron *	DC
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Vermogenstoevoer inclusief *	✗
Aantal Gigabit Ethernet (koper)-poorten	24	Redundante voeding	✓
Aantal Combo SFP-poorten	4	DC voltage input	12 - 57 V
Netwerk		Stroomverbruik (typisch)	20 W
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Spanningsbeveiliging	✓
10G support *	✗	Overspanningsbeveiliging in voltage	4 kV
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T, 1000BASE-X	Stroomspanning bescherming	Overspanningsbeveiliging
Port mirroring	✓	Power over Ethernet (PoE)	
Full duplex	✓	Power over Ethernet (PoE) *	✗
Datastroombeheer	✓	Eisen aan de omgeving	
Verbindingsaggregatie	✓	Bedrijfstemperatuur (T-T)	-40 - 75 °C
Broadcast stormbeheer	✓	Temperatuur bij opslag	-40 - 85 °C
Rate limiting	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
MAC-adres zelflerende functie	✓	Luchtvochtigheid bij opslag	5 - 95 procent
MAC-adres zelfverouderende functie	✓	Warmtedissipatie	68,24 BTU/h
VLAN=ondersteuning	✓	Gewicht en omvang	
Virtuele LAN-functies	Port-based VLAN, Tagged VLAN	Breedte	440 mm
Aantal VLANs	32	Diepte	244 mm
Data-uitwisseling		Hoogte	45 mm
Switchingcapaciteit *	56 Gbit/s	Gewicht	3,4 kg
MAC-adrestabel *	8000 entries	Verpakking	
Jumbo Frames ondersteuning	✓	Snelstartgids	✓
Jumbo frames	9000	Klemmenblok inclusief	✓
Packet buffergeheugen	4,1 MB	Type verpakking	Doos
Beveiliging		Rekbevestigingspakket	✓
IGMP snooping	✓	Breedte verpakking	510 mm
		Diepte verpakking	375 mm
		Hoogte verpakking	93 mm
		Gewicht verpakking	4 kg

Beveiliging		Duurzaamheid	
Algoritmen wachtrijplanning	Priority queuing (PQ)	Naleving van duurzaamheid	✓
Multicast-functies		Logistieke gegevens	
Multicast-ondersteuning	✓	Pallet brutohoogte	174,4 cm
Design		(Buitenste) hoofdverpakking breedte	540 mm
Rack-montage *	✓	(Buitenste) hoofdverpakking lengte	320 mm
Kleur van het product	Zwart	(Buitenste) hoofdverpakking hoogte	400 mm
LED-indicatoren	Stroom, Link, Activiteit	Code geharmoniseerd systeem (HS)	8517620090
Internationale veiligheidscode (IP)	IP30	(Buitenste) hoofdverpakking brutogewicht	12,5 kg
Land van herkomst	China	Hoeveelheid per (buitenste) hoofdverpakking	3 stuk(s)
Prestatie			
Flash memory	2 MB		
Fanloos	✓		
Mean time between failures (MTBF)	43800 uur		



4015867236222



0846359060483



846359060483

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.