

## TP-Link VIGI C355 Kogel (vorm) IP-beveiligingscamera Buiten 2880 x 1620 Pixels Muur

**Merk :** TP-Link

**Productfamilie:** VIGI

**Artikelcode:** VIGI C355(6MM)

**Productnaam :** C355

TP-Link VIGI C355. Soort: IP-beveiligingscamera, Ondersteuning voor plaatsing: Buiten, Connectiviteitstechnologie: Bedraad. Montagewijze: Muur, Kleur van het product: Wit, Vormfactor: Kogel (vorm). Minimale belichting: 0,005 Lux, Draaihoek: 360°, Kijkhoek lens, horizontaal: 57.3°. Type beeldsensor: CMOS, Omvang optische sensor: 25,4 / 2,7 mm (1 / 2.7"). Detectieafstand: 120 m, Observatieafstand: 50 m, Herkenningsafstand: 24 m



Performance		Video	
Type *	IP security camera	Image quality adjustment	Brightness, Contrast, Mirror, Saturation, Sharpness
Placement supported *	Outdoor	Privacy masking	✓
Connectivity technology *	Wired	Bit rate control	Constant Bit Rate (CBR), Constant Bit Rate (CBR)/Variable Bit Rate (VBR)
Wide Dynamic Range (WDR)	✓	Bit rate	6 Mbps
Day/night mode	✓	Back Light Compensation (BLC)	✓
Infrared (IR) cut-off filter	✓	Highlight Compensation (HLC)	✓
Built-in light	✓	Region of Interest (ROI) encoding	✓
Dynamic range	120 dB	Smart IR	✓
Certification	CE, NTRA, VCCI, KC, BSMI, FCC, IC		
Design		Audio	
Form factor *	Bullet	Built-in speaker(s)	✓
Mounting type *	Wall	Audio system	2-way
Product colour *	White	Audio formats supported	G.711
Housing material	Metal	Sample rate	8 kHz
International Protection (IP) code	IP67	Signal-to-Noise Ratio (SNR)	52 dB
Camera		Built-in microphone	✓
Minimum illumination	0.005 lx	Network	
Angle of rotation	360°	Ethernet LAN *	✓
Lens viewing angle, horizontal	57.3°	Ethernet interface type	Fast Ethernet
Lens viewing angle, vertical	31.3°	Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP UDP, SSL/TLS
Lens viewing angle, diagonal	67.2°	Wi-Fi *	✗
Tilt angle range	0 - 90°	Bluetooth *	✗
Pan range	0 - 360°		
Camera shutter speed	1/3 to 1/10000		
Number of Privacy masking areas	4		

Image sensor		Storage	
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Built-in HDD *	✗
Progressive scan	✓	Card reader integrated	✓
Sensor type *	CMOS	Compatible memory cards	MicroSD (TransFlash)
Lens system		Maximum memory card size	512 GB
Number of lenses *	1	Ports & interfaces	
Detect distance	120 m	Ethernet LAN (RJ-45) ports	1
Observe distance	50 m	DC-in jack	✓
Recognize distance	24 m	Security	
Maximum aperture number	1.6	Password protection	✓
Identify distance	12 m	IP address filtering	✓
Fixed focal length	6 mm	Privacy protection	✓
Night vision		Digest authentication	✓
Night vision *	✓	Management features	
Night vision distance	30 m	Web browser	✓
LED type	IR/White	Power	
Number of illumination LEDs	4	Power source type *	DC, PoE
Infra-red wavelength	850 nm	Power consumption (max)	10.7 W
Video		DC output voltage	12
Maximum resolution *	2880 x 1620 pixels	Operational conditions	
Total megapixels *	5 MP	Operating temperature (T-T)	-30 - 60 °C
Video compression formats	H.264, H.264+, H.265, H.265+	Storage temperature (T-T)	-40 - 60 °C
Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 2048 x 1280, 2304 x 1296, 2688 x 1520, 2880 x 1620	Operating relative humidity (H-H)	0 - 95%
Frame rate	30 fps	Storage relative humidity (H-H)	0 - 95%
Noise reduction	✓	Weight & dimensions	
Noise reduction technology	3D noise reduction	Width	184 mm
		Height	74 mm
		Length	74 mm
		Weight	525 g
		Packaging content	
		Number of cameras *	1



4895252506860

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-FEB-2025. Prints or copies of Information are only valid on the printed Publication date