

NETGEAR GS724Tv6 Managed L2+/L3 Gigabit Ethernet (10/100/1000) 1U Blauw, Grijs

Merk : NETGEAR

Artikelcode: GS724T-600EUS

Productnaam : GS724Tv6

NETGEAR GS724Tv6. Switch type: Managed, Switch-laag: L2+/L3. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24. Full duplex. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 52 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1ab, IEEE 802.1as, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE.... Netstekker: DC-in ingang. Rack-montage, Vormfactor: 1U



Beheerfuncties		Beveiliging	
Switch type *	Managed	SSH/SSL support	✓
Switch-laag	L2+/L3	Multicast-functies	
Quality of Service (QoS)	✓	Multicast-ondersteuning	✓
Web-gebaseerd management	✓	Aantal gefilterde multicast-groepen	512
System event log	✓	Protocollen	
Poorten & interfaces		Beheerprotocollen	SNMP v1/v2
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Design	
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Rack-montage *	✓
Aantal moduleslots SPF	2	Vormfactor	1U
Netstekker	DC-in ingang	Kleur van het product	Blauw, Grijs
Netwerk		LED-indicatoren	Activiteit, Link
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1ab, IEEE 802.1as, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3x, IEEE 802.3z	Aantal ventilatoren	0 ventilator(en)
10G support *	✓	Prestatie	
Port mirroring	✓	Geluidsniveau	0 dB
Full duplex	✓	Upgraden van firmware mogelijk	✓
IP routing	✓	Mean time between failures (MTBF)	1999946 uur
Datastroombeheer	✓	Energie	
Broadcast stormbeheer	✓	AC-ingangsspanning	100 - 240 V
Spanning tree protocol	✓	AC-ingangsfrequentie	50/60 Hz
VLAN=ondersteuning	✓	Stroomverbruik (typisch)	13,5 W
Aantal VLANs	256	Power over Ethernet (PoE)	
Data-uitwisseling		Power over Ethernet (PoE) *	✗
Switchingcapaciteit *	52 Gbit/s	Eisen aan de omgeving	
MAC-adrestabel *	16000 entries	Bedrijfstemperatuur (T-T)	0 - 45 °C
Aantal wachtrijen	8	Temperatuur bij opslag	-20 - 70 °C
Aantal statische routes	32	Relatieve vochtigheid in bedrijf (V-V)	0 - 90 procent
Jumbo Frames ondersteuning	✓	Luchtvochtigheid bij opslag	0 - 95 procent
		Hoogte, in bedrijf	0 - 3000 m
		Hoogte bij opslag	0 - 3000 m

Data-uitwisseling		Gewicht en omvang	
Jumbo frames	9000	Breedte	328 mm
Packet buffergeheugen	2 MB	Diepte	169 mm
Beveiliging		Hoogte	43 mm
DHCP-functies	DHCP client, DHCP snooping	Gewicht	1,62 kg
Access Control List (ACL)	✓		
IGMP snooping	✓		
Ondersteunde beveiligingsalgoritmen	HTTPS, SSL/TLS		
MAC adres filtering	✓		



0606449169119



606449169119

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.