

D-Link GO-SW-8G/E netwerk-switch Unmanaged Gigabit Ethernet (10/100/1000) Wit

Merk : D-Link

Artikelcode: GO-SW-8G/E

Productnaam : GO-SW-8G/E

8 x 10/100/1000BASE-T Gigabit LAN, MAC 4K, Jumbo frame, 130 x 79 x 22 mm
 D-Link GO-SW-8G/E. Switch type: Unmanaged. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. Full duplex. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 16 Gbit/s. Netwerkstandaard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Netstekker: DC-in ingang



Beheerfuncties		Technische details	
Switch type *	Unmanaged	(Binnenste) verzendverpakking hoogte	19,3 cm
Poorten & interfaces		(Binnenste) verzendverpakking breedte	23 cm
Aantal basis-switching RJ-45 Ethernet-poorten *	8	(Binnenste) verzendverpakking lengte	49,8 cm
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Nettogewicht transportverpakking	1,95 kg
Aantal Gigabit Ethernet (koper)-poorten	8	Producten per (binnenste) verzendverpakking	10 stuk(s)
Netstekker	DC-in ingang	Pallet brutogewicht (lucht)	348,5 kg
Netwerk		Aantal dozen per pallet (lucht)	100 stuk(s)
Netwerkstandaard *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Aantal per pallet (lucht)	1000 stuk(s)
10G support *	✗	Pallet brutolengte	110 cm
Koperen ethernetbekabelingstechnologie	1000BASE-T, 100BASE-TX, 10BASE-T	Pallet brutobreedte	120 cm
Full duplex	✓	Pallethoogte (lucht)	2,06 m
Datastroombeheer	✓	Pallet brutogewicht (zee)	348,5 kg
Auto MDI/MDI-X	✓	Aantal dozen per pallet (zee)	100 stuk(s)
MAC-adres zelflerende functie	✓	Producten per pallet (zee)	1000 stuk(s)
Data-uitwisseling		Pallethoogte (zee)	2,06 m
Switchingcapaciteit *	16 Gbit/s	(Binnenste) verzendverpakking gewicht	3,3 kg
MAC-adrestabel *	8000 entries	Energie	
Store-and-forward	✓	Spanning	5 V
Jumbo Frames ondersteuning	✓	Output current	1 A
Jumbo frames	9216	Eisen aan de omgeving	
Packet forwarding rate (1 Gbps)	1488000 pps	Bedrijfstemperatuur (T-T)	0 - 40 °C
Packet forwarding rate (100 Mbps)	148800 pps	Temperatuur bij opslag	-10 - 70 °C
Packet forwarding rate (10 Mbps)	14880 pps	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Protocollen		Luchtvochtigheid bij opslag	5 - 90 procent
Ondersteunde netwerkprotocollen	CSMA/CD	Gewicht en omvang	
Design		Breedte	128 mm
Rack-montage *	✗	Diepte	68,5 mm
Kleur van het product	Wit	Hoogte	25,4 mm
LED-indicatoren	✓	Gewicht	195 g
Certificering	FCC cUL/UL ICES-003 CCC CE Anatel C-Tick LVD VCCI	Verpakking	
Prestatie		Gebbruiksaanwijzing	✓
Buffergrootte	128 KB	Inclusief AC-adapter	✓
Mean time between failures (MTBF)	412433 uur	Breedte verpakking	104 mm
		Diepte verpakking	158 mm
		Hoogte verpakking	94 mm
		Gewicht verpakking	281 g

Logistieke gegevens

Code geharmoniseerd systeem (HS) 85176990



7900693656900



0790069365690



790069365690



4052305795910

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.