



## TP-Link VIGI C485 Torentje IP-beveiligingscamera Buiten 3840 x 2160 Pixels Plafond

**Merk :** TP-Link

**Productfamilie:** VIGI

**Artikelcode:** VIGIC485\_2.8MM

**Productnaam :** C485

TP-Link VIGI C485. Soort: IP-beveiligingscamera, Ondersteuning voor plaatsing: Buiten, Connectiviteitstechnologie: Bedraad. Montagewijze: Plafond, Kleur van het product: Wit, Vormfactor: Torentje. Minimale belichting: 0,005 Lux, Draaihoek: 360°, Kijkhoek lens, horizontaal: 111.4°. Type beeldsensor: CMOS, Omvang optische sensor: 25,4 / 2,7 mm (1 / 2.7"). Detectieafstand: 85 m, Observatieafstand: 35 m, Herkenningsafstand: 17 m



Performance		Video	
Type *	IP security camera	Back Light Compensation (BLC)	✓
Placement supported *	Outdoor	Highlight Compensation (HLC)	✓
Connectivity technology *	Wired	Region of Interest (ROI) encoding	✓
Wide Dynamic Range (WDR)	✓	Smart IR	✓
Day/night mode	✓	<b>Audio</b>	
Infrared (IR) cut-off filter	✓	Built-in speaker(s)	✓
Built-in light	✓	Audio system	2-way
Dynamic range	120 dB	Audio formats supported	G.711
Design		Sample rate	8 kHz
Form factor *	Turret	Signal-to-Noise Ratio (SNR)	52 dB
Mounting type *	Ceiling	Built-in microphone	✓
Product colour *	White	<b>Network</b>	
Housing material	Metal	Ethernet LAN *	✓
International Protection (IP) code	IP67	Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP, UDP, SSL/TLS
Camera		Wi-Fi *	✗
Minimum illumination	0.005 lx	Bluetooth *	✗
Angle of rotation	360°	Live view	✓
Lens viewing angle, horizontal	111.4°	<b>Storage</b>	
Lens viewing angle, vertical	58.8°	Built-in HDD *	✗
Lens viewing angle, diagonal	134°	Card reader integrated	✓
Tilt angle range	0 - 85°	Compatible memory cards	MicroSD (TransFlash)
Pan range	0 - 360°	Maximum memory card size	512 GB
Camera shutter speed	1/3 to 1/10000	<b>Ports &amp; interfaces</b>	
Number of Privacy masking areas	4	Ethernet LAN (RJ-45) ports	1
Image sensor			
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")		
Progressive scan	✓		

Image sensor		Ports & interfaces	
Sensor type *	CMOS	DC-in jack	✓
Lens system		Security	
Number of lenses *	1	Password protection	✓
Detect distance	85 m	Video motion detection	✓
Observe distance	35 m	IP address filtering	✓
Recognize distance	17 m	HTTPS encryption	✓
Maximum aperture number	1.6	Human and vehicle targets classification	✓
Identify distance	8 m		
Fixed focal length	2.8 mm		
Night vision		Management features	
Night vision *	✓	Reset button	✓
Night vision distance	30 m		
LED type	IR/White		
Number of illumination LEDs	4		
Infra-red wavelength	850 nm		
Video		Power	
Maximum resolution *	3840 x 2160 pixels	Power source type *	DC, PoE
Total megapixels *	8 MP	Power consumption (max)	11.5 W
Video compression formats	H.264, H.264+, H.265, H.265+	Power consumption (Power over Ethernet (PoE))	12.5 W
Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 2048 x 1280, 2304 x 1296, 2560 x 1440, 3840 x 2160	DC output voltage	12
Frame rate	25 fps		
Video streaming	✓		
Noise reduction	✓		
Noise reduction technology	3D noise reduction		
Image quality adjustment	Brightness, Contrast, Mirror, Saturation, Sharpness		
Privacy masking	✓		
Bit rate control	Constant Bit Rate (CBR), Variable Bit Rate (VBR)		
		Operational conditions	
		Operating temperature (T-T)	-30 - 60 °C
		Storage temperature (T-T)	-40 - 60 °C
		Operating relative humidity (H-H)	0 - 95%
		Storage relative humidity (H-H)	0 - 95%
		Weight & dimensions	
		Width	111 mm
		Depth	111 mm
		Height	83.7 mm
		Weight	480 g
		Packaging content	
		Number of cameras *	1
		Mounting kit	✓
		Waterproof connector	✓



4895252502466

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-FEB-2025. Prints or copies of Information are only valid on the printed Publication date