

## be quiet! LIGHT BASE 600 LX White Midi Tower Wit

**Merk :** be quiet!

**Artikelcode:** BGW68

**Productnaam :** LIGHT BASE 600 LX White

be quiet! LIGHT BASE 600 LX White. Vormfactor: Midi Tower, Soort: PC, Kleur van het product: Wit. Ondersteunde vormfactoren stroomvoorziening: ATX, PS2. Geïnstalleerde ventilators zijkant: 3x 120 mm, Zijkant ventilators ondersteunende diameters: 120 mm, Geïnstalleerde ventilators achterkant: 1x 120 mm. Ondersteunde HDD-groottes: 2.5,3.5". Breedte: 305 mm, Diepte: 450 mm, Hoogte: 455 mm



| Design                               |                                                    | Cooling                               |                      |
|--------------------------------------|----------------------------------------------------|---------------------------------------|----------------------|
| Material                             | Acrylonitrile butadiene styrene (ABS), Glass, SGCC | Number of rear fans supported (max)   | 1                    |
| Form factor *                        | Midi Tower                                         | Rear fans diameters supported         | 120 mm               |
| Type *                               | PC                                                 | Number of top fans supported (max)    | 3                    |
| Product colour *                     | White                                              | Top fans diameters supported          | 120,140 mm           |
| Supported motherboard form factors * | ATX, micro ATX, Mini-ITX                           | Number of bottom fans supported (max) | 3                    |
| Number of 3.5" bays *                | 1                                                  | Bottom fans diameters supported       | 120,140 mm           |
| Number of 2.5" bays                  | 2                                                  | Fan speed                             | 1500 - 1600 RPM      |
| Number of expansion slots            | 7                                                  | Maximum airflow                       | 51.5 cfm             |
| Side window                          | ✓                                                  | Fan 2 maximum airflow                 | 48.8 cfm             |
| Suitable for                         | Gaming                                             | Maximum air pressure                  | 1.34 mmH2O           |
| Illumination                         | ✓                                                  | Fan 2 maximum air pressure            | 1.04 mmH2O           |
| Illumination colour                  | Multi                                              | Liquid cooling capability             | ✓                    |
| Illumination location                | Case fans, Front                                   | Side radiator sizes supported         | 120,240 mm           |
| Reset button                         | ✓                                                  | Bottom radiator sizes supported       | 120,240,360 mm       |
| On/off button                        | ✓                                                  | Rear radiator sizes supported         | 120 mm               |
| Maximum CPU cooler height            | 17 cm                                              | Top radiator sizes supported          | 120,240,360 mm       |
| Maximum graphics card length         | 40 cm                                              | Pulse-width modulation (PWM) support  | ✓                    |
| Maximum PSU length                   | 20 cm                                              |                                       |                      |
| Power supply                         |                                                    | Storage                               |                      |
| Power supply included *              | ✗                                                  | Supported HDD sizes *                 | 2.5,3.5"             |
| Supported power supply form factors  | ATX, PS2                                           | Technical details                     |                      |
| Ports & interfaces                   |                                                    | Compliance certificates               | CE, RoHS, UKCA, WEEE |
| Audio input                          | ✓                                                  | Weight & dimensions                   |                      |
|                                      |                                                    | Width                                 | 305 mm               |

| Ports & interfaces                                |           | Weight & dimensions |         |
|---------------------------------------------------|-----------|---------------------|---------|
| Audio output                                      | ✓         | Depth               | 450 mm  |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * | 1         | Height              | 455 mm  |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * | 2         | Weight              | 12.1 kg |
| Cooling                                           |           | Packaging data      |         |
| Fan speed control                                 | ✓         | Package width       | 390 mm  |
| Side fans installed                               | 3x 120 mm | Package depth       | 523 mm  |
| Number of side fans supported (max)               | 3         | Package height      | 554 mm  |
| Side fans diameters supported                     | 120 mm    | Package weight      | 14.6 kg |
| Rear fans installed                               | 1x 120 mm |                     |         |



4260052191743

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-JAN-2025. Prints or copies of Information are only valid on the printed Publication date