

ASUS AP-850G power supply unit 850 W 20+4 pin ATX ATX Zwart, Wit

Merk : ASUS

Artikelcode: 90YE00U0-BONA00

Productnaam : AP-850G

ASUS AP-850G. Totaal vermogen: 850 W, AC-ingangsspanning: 100 - 240 V, Power Factor Correctie (PFC) type: Actief. Motherboard power connector: 20+4 pin ATX, Lengte stroomkabel moederbord: 61 cm, Lengte SATA-stroomkabel: 400,120 mm. Bedoeld voor: PC, Vormfactor van de voeding (PSU): ATX, 80 PLUS certificatie: 80 PLUS Gold. Kleur van het product: Zwart, Wit, Type koeling: Actief, Aantal ventilatoren: 1 ventilator(en). Meegeleverde kabels: CPU, PCIe, SATA, Peripheral (Molex)



Power		Ports & interfaces	
Total power *	850 W	CPU power connector (4+4 pin)	✓
AC input voltage *	100 - 240 V	CPU power cable length	65 cm
Power Factor Correction (PFC) type	Active	Cabling type	Fully-Modular
Combined power (+3.3V)	110 W	Performance	
Combined power (+12V)	846 W	80 PLUS certification *	80 PLUS Gold
Combined power (+5V)	110 W	Purpose *	PC
Combined power (-12V)	3.6 W	Power supply unit (PSU) form factor *	ATX
Combined power (+5Vsb)	12.5 W	ATX version	3.0
Max output current (+3.3V)	20 A	Mean time between failures (MTBF)	120000 h
Max output current (+12V)	70.5 A	Design	
Max output current (+5V)	20 A	Product colour	Black, White
Max output current (-12V)	0.3 A	Cooling type	Active
Max output current (+5Vsb)	2.5 A	Number of fans	1 fan(s)
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Fan location	Top
Ports & interfaces		Illumination	✓
Motherboard power connector *	20+4 pin ATX	Packaging content	
Motherboard power cable length	61 cm	Cables included	CPU, PCIe, SATA, Peripheral (Molex)
Number of SATA power connectors	5	Weight & dimensions	
SATA power cable length	400,120 mm	Width	150 mm
Peripheral (Molex) power connectors (4-pin) *	3	Depth	150 mm
Peripheral (Molex) power cable length	400,150 mm	Height	86 mm
PCI Express power connectors (8-pin)	3	Weight	1.5 kg
PCI Express power connectors (16-pin)	1	Packaging data	
PCI Express power cable length	67.5 cm	Package width	346 mm
		Package depth	208 mm
		Package height	144 mm

Packaging data

Package weight	2.92 kg
Package type	Box

Technical details

Compliance certificates	RoHS
-------------------------	------



4711387192658

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.