

TP-Link Omada SX3032F netwerk-switch Managed L2+ Zwart



Merk : TP-Link

Productfamilie: Omada

Artikelcode: SX3032F

Productnaam : SX3032F

TP-Link Omada SX3032F. Switch type: Managed, Switch-laag: L2+. Aantal basis-switching RJ-45 Ethernet-poorten: 1, Aantal geïnstalleerde SFP+ modules: 32, Console port: RJ-45/Micro-USB. MAC-adrestabel: 32000 entries, Switchingcapaciteit: 640 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1x, IEEE 802.3ah, IEEE 802.3x. Rack-montage

Beheerfuncties		Beveiliging	
Switch type *	Managed	Bescherming lus	✓
Switch-laag	L2+	IP-MAC-Port binding	✓
Quality of Service (QoS)	✓	Authenticatie	MAC-gebaseerde authenticatie, Poortgebaseerde authenticatie
Cloud-beheerd	✓	Wachtwoordbeveiliging	✓
ARP-inspectie	✓	Authenticatie type	AAA, TACACS+
Locatie-instellingen (CLI) configureren	✓	Algoritmen wachtrijplanning	Priority queuing (PQ), SP, Weighted Round Robin (WRR)
MIB-ondersteuning	• MIB II (RFC1213) • Interface MIB (RFC2233) • Ethernet Interface MIB (RFC1643) • Bridge MIB (RFC1493) • P/Q-Bridge MIB (RFC2674) • RMON MIB (RFC2819) • RMON2 MIB (RFC2021) • Radius Accounting Client MIB (RFC2620) • Radius Authentication Client MIB (RFC2618) • Remote Ping, Traceroute MIB (RFC2925) • Support TP-Link private MIB	Multicast-functies	
		Multicast-ondersteuning	✓
		Aantal gefilterde multicast-groepen	4000
		Multicast Listener Discovery (MLD) snooping	Yes
		Protocollen	
		GARP VLAN Registratieprotocol (GVRP)	✓
		IPv4- & IPv6-functies	Dual stack IPv4/IPv6, ICMPv6, IPv6 TFTP
		IP Source Guard (IPSG)	✓
		Design	
		Rack-montage *	✓
		Kleur van het product	Zwart
		Overtollige fans ondersteuning	✓
		Aantal ventilatoren	2 ventilator(en)
		Energie	
		Stroombron *	AC
		Vermogenstoevoer inclusief *	✓
		AC-ingangsspanning	100 - 240 V
		AC-ingangsfrequentie	50/60 Hz
		Vermogensverbruik (max)	49,4 W
		Eisen aan de omgeving	
		Bedrijfstemperatuur (T-T)	-5 - 45 °C
		Temperatuur bij opslag	40 - 70 °C
		Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
		Luchtvochtigheid bij opslag	5 - 90 procent
		Gewicht en omvang	
		Breedte	440 mm
		Diepte	330 mm
		Hoogte	44 mm

Data-uitwisseling		Inhoud van de verpakking	
MAC-adrestabel *	32000 entries	Meegeleverde kabels	Stroom
Aantal wachtrijen	8	Snelstartgids	✓
Statische route	✓	Certificaten	
Aantal statische routes	128	Certificaten van naleving	CE, Federal Communications Commission (FCC), RoHS
Aantal IP-interfaces	128		
Jumbo Frames ondersteuning	✓		
Jumbo frames	9		
Packet buffergeheugen	24 MB		
Beveiliging			
DHCP-functies	DHCP relay, DHCP server, DHCPv6 snooping		
Access Control List (ACL)	✓		
IGMP snooping	✓		
Statische poort beveiliging	✓		
SSH/SSL support	✓		



4895252504477



4895252504484



0840030710551



840030710551

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.