

Manhattan 153997 barcode-lezer Draagbare streepjescodelezer 1D/2D LED Zwart

Merk : Manhattan

Artikelcode: 153997

Productnaam : 153997

Manhattan 153997. Soort: Draagbare streepjescodelezer, Soort scanner: 1D/2D, Type beeldsensor: LED. Connectiviteitstechnologie: Bedraad, Standaard interfaces: USB, Snoerlengte: 1,4 m. Kleur van het product: Zwart, Materiaal behuizing: Acrylonitriëlbutoadieenstyreen (ABS), Contrast afdrucken: 25 procent. Type stroombron: USB, Ingangsspanning: 5 V, Stroomverbruik: 130 mA. Gewicht: 110 g, Breedte: 70 mm, Diepte: 150 mm



Scanning		Power	
Type *	Handheld bar code reader	Input voltage	5 V
Scanner type *	1D/2D	Power consumption	130 mA
Sensor type *	LED	Weight & dimensions	
Linear (1D) barcodes supported *	Codabar, Code 11, Code 128, Code 39, Code 39 (ASCII), Code 93, EAN-13, EAN-8, GS1 DataBar Expanded, GS1 Databar Limited, GS1 Databar RSS14, ISSN, Industrial 2 of 5, Interleaved 2 of 5, JAN-13, JAN-8, MSI, Matrix 2 of 5, UPC-A, UPC-E	Width	70 mm
		Depth	150 mm
2D (matrix & stacked) barcodes supported *	Aztec Code, Data Matrix, Micro QR Code, MicroPDF417, PDF417, QR Code	Height	95 mm
		Weight *	110 g
Optical sensor resolution (W x H)	640 x 480 pixels	Packaging data	
1D resolution (min)	0.1 mm	Package width	195 mm
2D resolution (min)	0.17 mm	Package depth	80 mm
Working distance	32 cm	Package height	105 mm
Horizontal field of view	36°	Package weight	260 g
Vertical field of view	28°	Operational conditions	
Read rate (max)	100 reads/s	Operating temperature (T-T)	-20 - 50 °C
Light levels (direct sunlight)	0 - 100000 lx	Storage temperature (T-T)	-20 - 60 °C
Ports & interfaces		Operating relative humidity (H-H)	5 - 95%
Connectivity technology *	Wired	Drop resistance	1.2 m
Standard interfaces *	USB	Technical details	
Cable length	1.4 m	Warranty period	3 year(s)
		Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA

Performance		Logistics data	
Housing material	Acrylonitrile butadiene styrene (ABS)	Products per master (outer) case	40 pc(s)
Print contrast	25%	Master (outer) case gross weight	10.2 kg
Product colour *	Black	Master (outer) case length	565 mm
Mean time between failures (MTBF)	50000 h	Master (outer) case width	360 mm
		Master (outer) case height	400 mm
Power			
Power source type *	USB		



0766623153997



766623153997

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-JAN-2025. Prints or copies of Information are only valid on the printed Publication date