



Manhattan 154185 barcode-lezer Draagbare streepjescodelezer 1D/2D LED Zwart

Merk : Manhattan

Artikelcode: 154185

Productnaam : 154185

Manhattan 154185. Soort: Draagbare streepjescodelezer, Soort scanner: 1D/2D, Type beeldsensor: LED. Connectiviteitstechnologie: Draadloos, Standaard interfaces: RF Draadloos, Aansluitbereik: 80 m. Kleur van het product: Zwart, Materiaal behuizing: Acrylonitriëlbutoadieenstyreen (ABS), Internationale veiligheidscode (IP): IP52. Type stroombron: Batterij/Accu, Charging port type: USB Type-C, Capaciteit van de accu/batterij: 2000 mAh. Gewicht: 200 g, Breedte: 67 mm, Diepte: 87 mm



Scanning		Power	
Type *	Handheld bar code reader	Battery capacity	2000 mAh
Scanner type *	1D/2D	Battery voltage	3.7 V
Sensor type *	LED	Charging time	5 h
Linear (1D) barcodes supported *	China Post, Codabar, Code 11, Code 128, Code 39, Code 39 (ASCII), Code 93, EAN-13, EAN-8, GS1 DataBar Expanded, GS1 DataBar Omnidirectional, GS1 Databar Limited, GS1-128 (UCC/EAN-128), ISSN, Industrial 2 of 5, Interleaved 2 of 5, MSI, Matrix 2 of 5, Telepen, UPC-A, UPC-E, JAN-13, JAN-8	Power consumption	280 mA
	Aztec Code, Data Matrix, Dot Code A, Grid Matrix Code, MaxiCode, MicroPDF417, PDF417, QR Code	Weight & dimensions	
		Width	67 mm
		Depth	87 mm
		Height	172 mm
2D (matrix & stacked) barcodes supported *	Aztec Code, Data Matrix, Dot Code A, Grid Matrix Code, MaxiCode, MicroPDF417, PDF417, QR Code	Weight *	200 g
Optical sensor resolution (W x H)		Packaging data	
1D resolution (min)		Cables included	USB Type-A to USB Type-C
2D resolution (min)		Receiver included	✓
Working distance	45 cm	Receiver type	Nano receiver
Horizontal field of view	45°	Package width	175 mm
Vertical field of view	36°	Package depth	80 mm
Read rate (max)	60 reads/s	Package height	108 mm
Light levels (direct sunlight)	0 - 100000 lx	Package weight	320 g
Ports & interfaces		Operational conditions	
Connectivity technology *	Wireless	Operating temperature (T-T)	-10 - 50 °C
Standard interfaces *	RF Wireless	Storage temperature (T-T)	-20 - 70 °C
		Operating relative humidity (H-H)	20 - 95%
		Drop resistance	1.2 m

Ports & interfaces		Technical details	
Wireless range	80 m	Warranty period	3 year(s)
Cable length	1 m	Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA
Performance			
Housing material	Acrylonitrile butadiene styrene (ABS)	Logistics data	
International Protection (IP) code	IP52	Products per master (outer) case	40 pc(s)
Protection features	Drop resistant	Master (outer) case gross weight	12.8 kg
Print contrast	20%	Master (outer) case length	565 mm
Product colour *	Black	Master (outer) case width	360 mm
Mean time between failures (MTBF)	50000 h	Master (outer) case height	400 mm
Power			
Power source type *	Battery		
Charging port type	USB Type-C		



0766623154185



766623154185

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-JAN-2025. Prints or copies of Information are only valid on the printed Publication date