

## TP-Link Festa F65-Wall 3000 Mbit/s Wit Power over Ethernet (PoE)

Merk: TP-Link Artikelcode: FESTA F65-WALL

Productnaam: Festa F65-Wall

TP-Link Festa F65-Wall. 2,4 GHz, 5 GHz, Maximale overdrachtssnelheid van gegevens: 3000 Mbit/s. Ondersteunde beveiligingsalgoritmen: WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise, WPA3-Personal. Power over Ethernet (PoE). Kleur van het product: Wit






| Features                               |   | Power   |   |
|--|---|---|---|
| 2.4 GHz *                              | ✓   | Power over Ethernet (PoE) *   | ✓   |
| 5 GHz *                                | ✓   | Design  |   |
| 6 GHz *                                | ×   | Placement *   | Wall  |
| Maximum data transfer rate *           | 3000 Mbit/s   | Product colour *  | White   |
| Maximum data transfer rate (2.4 GHz)   | 574 Mbit/s  | Reset button  | ✓   |
| Maximum data transfer rate (5 GHz)     | 2402 Mbit/s   | Antenna   |   |
| Networking standards                   | IEEE 802.11a, IEEE 802.11ac, IEEE<br>802.11ax, IEEE 802.11b, IEEE<br>802.11g, IEEE 802.11n, IEEE<br>802.3af, IEEE 802.3at | Antenna type * Antennas quantity Antenna gain level (max)                               | Internal<br>4<br>5 dBi  |
| Number of users                        | 250 user(s)   | Certificates  |   |
| MIMO MIMO type Spread spectrum method  | Multi User MIMO OFDMA   | Compliance certificates   | CE, Federal Communications<br>Commission (FCC), Industry Canada<br>(IC), RoHS |
| VLAN support                           | <b>✓</b>  | Weight & dimensions   |   |
| Quality of Service (QoS) support       | ✓   | Width   | 143 mm  |
| Security                               |   | Depth   | 86 mm   |
| Security algorithms *                  | WPA-Enterprise, WPA-Personal,<br>WPA2-Enterprise, WPA2-Personal,  | Height<br>Weight  | 42.4 mm<br>284.6 g  |
|  | WPA3-Enterprise, WPA3-Personal  | Packaging content   |   |
| MAC address filtering                  | 1   | AC adapter included   | ✓   |
| Service Set Identifier (SSID) features | Multiple SSIDs, SSID broadcast  | Mounting kit  | ✓   |
| Number of SSID supported               | 16  | Quick start guide   | ✓   |
| Management features                    |   | Operational conditions  |   |
| Web-based management                   | ✓   | Operating relative humidity (H-H) Operating temperature (T-T) Storage temperature (T-T) | 10 - 90%<br>0 - 40 °C<br>-40 - 70 °C  |

 Ports & interfaces
 Operational conditions

 Ethernet LAN (RJ-45) ports \*
 4
 Storage relative humidity (H-H)
 5 - 90%

Publication date: 11-DEC-2024. Prints or copies of Information are only valid on the printed Publication date





8885020623338

8885021370156

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.