



TP-Link Festa FS352G L2/L2+ Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Wit

Merk : TP-Link

Artikelcode: FESTA FS352GP

Productnaam : Festa FS352G

TP-Link Festa FS352G. Switch-laag: L2/L2+. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 48. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 104 Gbit/s. Netwerkstandaard: IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z. Power over Ethernet (PoE). Rack-montage



Beheerfuncties		Prestatie	
Switch-laag	L2/L2+	Flash memory	32 MB
Poorten & interfaces		Upgraden van firmware mogelijk	✓
Aantal basis-switching RJ-45 Ethernet-poorten *	48	Fanloos	✗
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Energie	
Aantal moduleslots SPF	4	Stroombron *	AC
Netwerk		AC-ingangsspanning	100 - 240 V
Netwerkstandaard *	IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z	AC-ingangsfrequentie	50/60 Hz
10G support *	✗	Power over Ethernet (PoE)	
Datastroombeheer	✓	Power over Ethernet (PoE) *	✓
Verbindingsaggregatie	✓	Aantal Power over Ethernet plus (PoE +)-poorten	48
Broadcast stormbeheer	✓	Vermogen per poort Power over Ethernet (PoE)	30 W
Auto MDI/MDI-X	✓	Totaal Power over Ethernet (PoE)-budget	384 W
VLAN=ondersteuning	✓	Eisen aan de omgeving	
Data-uitwisseling		Bedrijfstemperatuur (T-T)	0 - 50 °C
Switchingcapaciteit *	104 Gbit/s	Temperatuur bij opslag	-40 - 70 °C
Verzending snelheid	77,38 Mpps	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
MAC-adrestabel *	16000 entries	Luchtvochtigheid bij opslag	5 - 90 procent
Jumbo Frames ondersteuning	✓	Gewicht en omvang	
Packet buffergeheugen	12 MB	Breedte	440 mm
Beveiliging		Diepte	330 mm
DHCP-functies	DHCP relay, DHCP server, DHCP snooping	Hoogte	44 mm
Access Control List (ACL)	✓	Inhoud van de verpakking	
IGMP snooping	✓	Meegeleverde kabels	AC

Design		Inhoud van de verpakking	
Rack-montage *	✓	Gebruiksaanwijzing	✓
Kleur van het product	Wit	Rekbevestigingspakket	✓
LED-indicatoren	✓	Certificaten	
Aantal ventilatoren	3 ventilator(en)	Certificaten van naleving	CE, Federal Communications Commission (FCC)
Prestatie			
Intern geheugen	256 MB		



8885020622393

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.