



TP-Link FESTA FS308GP network-switch Managed Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Wit

Merk : TP-Link

Artikelcode: FESTA FS308GP

Productnaam : FESTA FS308GP

TP-Link FESTA FS308GP. Switch type: Managed. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8, Aantal geïnstalleerde SFP modules: 2. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 16 Gbit/s. Netwerkstandaard: IEEE 802.1ab, IEEE 802.3af, IEEE 802.3at. DC voltage input: 53.5 V. Power over Ethernet (PoE). Rack-montage



Beheerfuncties		Design	
Switch type *	Managed	Stapelbaar *	✗
Poorten & interfaces		Kleur van het product	Wit
Aantal basis-switching RJ-45 Ethernet-poorten *	8	Reset button	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Prestatie	
Aantal geïnstalleerde SFP modules *	2	Upgraden van firmware mogelijk	✓
Netwerk		Fanloos	✓
Netwerkstandaard *	IEEE 802.1ab, IEEE 802.3af, IEEE 802.3at	Energie	
10G support *	✗	Stroombron *	DC
Datastroombeheer	✓	DC voltage input	53.5 V
Verbindingsaggregatie	✓	Stroom	1.31 A
Broadcast stormbeheer	✓	Power over Ethernet (PoE)	
Rate limiting	✓	Power over Ethernet (PoE) *	✓
Spanning tree protocol	✓	Aantal Power over Ethernet plus (PoE +)-poorten	4
VLAN-ondersteuning	✓	Vermogen per poort Power over Ethernet (PoE)	30 W
Data-uitwisseling		Totaal Power over Ethernet (PoE)-budget	62 W
Switchingcapaciteit *	16 Gbit/s	Eisen aan de omgeving	
Verzending snelheid	11,9 Mpps	Bedrijfstemperatuur (T-T)	0 - 40 °C
MAC-adrestabel *	8000 entries	Temperatuur bij opslag	-40 - 70 °C
Jumbo Frames ondersteuning	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Jumbo frames	9	Luchtvochtigheid bij opslag	5 - 90 procent
Packet buffergeheugen	4,1 MB	Gewicht en omvang	
Beveiliging		Breedte	209 mm
DHCP-functies	DHCP relay, DHCP server	Diepte	126 mm

Beveiliging		Gewicht en omvang	
IGMP snooping	✓	Hoogte	26 mm
Protocollen		Certificaten	
IPv4- & IPv6-functies	IPv4/IPv6 access-control list (ACL)	Certificaten van naleving	CE, Federal Communications Commission (FCC), RoHS
Design			
Rack-montage *	✓		



8885020621440

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.