

TP-Link UH5020C interface hub USB Type-C 5000 Mbit/s Grijs

Merk : TP-Link

Artikelcode: UH5020C

Productnaam : UH5020C

TP-Link UH5020C. Hostinterface: USB Type-C, Hub-interfaces: HDMI, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB Type-C. Overdrachtssnelheid: 5000 Mbit/s, Maximale refresh snelheid: 60 Hz, Ondersteunde video-modi: 2160p. Soort voeding: USB. Ondersteunt Windows: Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1, Ondersteunt Mac-besturingssysteem: MacOS, Andere ondersteundende systemen: Android, ChromeOS, iOS, iPadOS. Breedte: 108,2 mm, Diepte: 40 mm, Hoogte: 12,2 mm



Poorten & interfaces		Energie	
Hostinterface *	USB Type-C	Soort voeding	USB
Hub-interfaces *	HDMI, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB Type-C	Minimale systeemeisen	
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type A	2	Ondersteunt Windows	Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type C	2	Ondersteunt Mac-besturingssysteem	MacOS
Aantal HDMI-poorten	1	Ondersteunt Linux	✓
Aantal poorten *	5	Andere ondersteundende systemen	Android, ChromeOS, iOS, iPadOS
Geïntegreerde geheugenkaartlezer	✗	Compatibele besturingssystemen	Nintendo OS
Aansluiting voor netstroomadapter	✗	Gewicht en omvang	
Kenmerken		Breedte	108,2 mm
Overdrachtssnelheid *	5000 Mbit/s	Diepte	40 mm
Maximale refresh snelheid	60 Hz	Hoogte	12,2 mm
Ondersteunde video-modi	2160p	Verpakking	
Maximale resolutie (HDMI)	4096 x 2160 Pixels	Aantal per verpakking	1 stuk(s)
Kleur van het product	Grijs	Type verpakking	Hangende doos
Materiaal behuizing	Aluminium	Inhoud van de verpakking	
USB Power Delivery (USB PD)	✓	Snelstartgids	✓
USB Power Delivery tot max.	100 W	Eisen aan de omgeving	
Snel opladen	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Soort kabel	Ronde kabel	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Snoerlengte	0,18 m		
Plug and play	✓		


Kenmerken		Eisen aan de omgeving	
Certificering	HDMI	Luchtvochtigheid bij opslag	5 - 90 procent
		Design	
		Kleur kabel	Zwart
		Technische details	
		Certificaten van naleving	BSMI, CE, EAC, Federal Communications Commission (FCC), RoHS, UKCA



1210002600095



1210002600101



1210002600088



0840460600040



840460600040

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.