



TP-Link Omada ES228GMP netwerk-switch Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Zwart

Merk : TP-Link

Productfamilie: Omada

Artikelcode: ES228GMP

Productnaam : ES228GMP



TP-Link Omada ES228GMP. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 26. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 56 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i,.... Power over Ethernet (PoE). Rack-montage



Beheerfuncties		Design	
Switch type *	Managed	Materiaal behuizing	Metaal
Switch-laag	L2	LED-indicatoren	✓
Quality of Service (QoS)	✓	Aantal ventilatoren	2 ventilator(en)
Web-gebaseerd management	✓	Prestatie	
Cloud-beheerd	✓	Flash memory	64 MB
Uniforme statische configuratie	✓	Geluidsniveau	46,2 dB
Poorten & interfaces		Upgraden van firmware mogelijk	✓
Aantal basis-switching RJ-45 Ethernet-poorten *	26	Fanloos	✗
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Mean time between failures (MTBF)	224143 uur
Aantal Gigabit Ethernet (koper)-poorten	26	Energie	
Aantal moduleslots SPF	2	Stroombron *	AC
Netwerk		Vermogenstoevoer inclusief *	✓
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	AC-ingangsspanning	100 - 240 V
10G support *	✗	AC-ingangsfrequentie	50/60 Hz
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-X, 1000BASE-T, 1000BASE-X	Vermogensverbruik (max)	454,8 W
Port mirroring	✓	Spanningsbeveiliging	✓
Datastroombeheer	✓	Overspanningsbeveiliging in voltage	6 kV
Verbindingsaggregatie	✓	Power over Ethernet (PoE)	
Broadcast stormbeheer	✓	Power over Ethernet (PoE) *	✓
Auto MDI/MDI-X	✓	Type Power over Ethernet (PoE) ondersteunt	PoE+
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Aantal Power over Ethernet plus (PoE +)-poorten	24
		Vermogen per poort Power over Ethernet (PoE)	30 W
		Totaal Power over Ethernet (PoE)-budget	384 W


Netwerk		Eisen aan de omgeving	
Fast-leave	✓	Bedrijfstemperatuur (T-T)	-5 - 45 °C
VLAN=ondersteuning	✓	Temperatuur bij opslag	-40 - 70 °C
Virtuele LAN-functies	MTU VLAN, Port-based VLAN, Tagged VLAN	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Aantal VLANs	32	Luchtvochtigheid bij opslag	5 - 90 procent
Data-uitwisseling		Warmtedissipatie	1546,15 BTU/h
Switchingcapaciteit *	56 Gbit/s	Gewicht en omvang	
Verzending snelheid	41,66 Mpps	Breedte	440 mm
MAC-adrestabel *	8000 entries	Diepte	330 mm
Store-and-forward	✓	Hoogte	44 mm
Jumbo Frames ondersteuning	✓	Inhoud van de verpakking	
Jumbo frames	15000	Meegeleverde kabels	AC
Packet buffergeheugen	4 MB	Snelstartgids	✓
Beveiliging		Gebruikershandleiding	✓
DHCP-functies	DHCP client	Rekbevestigingspakket	✓
IGMP snooping	✓	Certificaten	
Algoritmen wachtrijplanning	Weighted Round Robin (WRR)	Certificaten van naleving	CE, Federal Communications Commission (FCC), RoHS
Multicast-functies		Certificering	FCC, CE, RoHS
Multicast-ondersteuning	✓		
Design			
Rack-montage *	✓		
Kleur van het product	Zwart		



1210002600989



1210002600996



0840460600460



840460600460

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.