



TP-Link Omada SG5428X netwerk-switch Managed L3 Gigabit Ethernet (10/100/1000) Zwart



Merk : TP-Link

Productfamilie: Omada

Artikelcode: SG5428X

Productnaam : SG5428X

TP-Link Omada SG5428X. Switch type: Managed, Switch-laag: L3. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24, Aantal USB 2.0-poorten: 1, Console port: RJ-45. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 128 Gbit/s. Netwerkstandaard: IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt. Rack-montage

Beheerfuncties		Design	
Switch type *	Managed	Rack-montage *	✓
Switch-laag	L3	Stapelbaar *	✓
Quality of Service (QoS)	✓	Kleur van het product	Zwart
Web-gebaseerd management	✓	LED-indicatoren	✓
Cloud-beheerd	✓	Prestatie	
ARP-inspectie	✓	Physical stacking (units)	4
Poorten & interfaces		Type processor	✓
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Processorfabrikant	ARM
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Frequentie van processor	1200 MHz
Aantal Gigabit Ethernet (koper)-poorten	24	Type geheugen	DRAM
Aantal moduleslots SPF+	4	Intern geheugen	2000 MB
Aantal USB-Type-C-poorten	1	Flash memory	512 MB
Console port	RJ-45	Upgraden van firmware mogelijk	✓
Aantal USB 2.0-poorten	1	Telnet	✓
Netwerk		Fanloos	✓
Netwerkstandaard *	IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt	Mean time between failures (MTBF)	519,543 uur
10G support *	✓	Energie	
Port mirroring	✓	Stroombron *	AC
Verbindingsaggregatie	✓	Vermogenstoevoer inclusief *	✓
Broadcast stormbeheer	✓	AC-ingangsspanning	100 - 240 V
VLAN=ondersteuning	✓	AC-ingangsfrequentie	50/60 Hz
Virtuele LAN-functies	MAC address-based VLAN, Private VLAN, Protocol-based VLAN, Voice VLAN	Vermogensverbruik (max)	19,6 W
Aantal VLANs	4000	Spanningsbeveiliging	✓
Data-uitwisseling		Overspanningsbeveiliging in voltage	6 kV
Switchingcapaciteit *	128 Gbit/s	Power over Ethernet (PoE)	
Verzending snelheid	95,23 Mpps	Power over Ethernet (PoE) *	✗
MAC-adrestabel *	16000 entries	Overige specificaties	
Store-and-forward	✓	Beheerniveau	4
Jumbo Frames ondersteuning	✓	Bandbreedte	64 Gbit/s
Jumbo frames	9000	Eisen aan de omgeving	
Packet buffergeheugen	12 MB	Bedrijfstemperatuur (T-T)	-5 - 45 °C
Beveiliging		Temperatuur bij opslag	-40 - 70 °C
DHCP-functies	DHCP relay, DHCP server	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Access Control List (ACL)	✓	Luchtvochtigheid bij opslag	5 - 90 procent
		Warmtedissipatie	66,87 BTU/h
		Gewicht en omvang	
		Breedte	440 mm

Beveiliging		Gewicht en omvang	
IGMP snooping	✓	Diepte	180 mm
Ondersteunde beveiligingsalgoritmen	SNMP, SNMPv2, SNMPv3	Hoogte	44 mm
MAC adres filtering	✓	Inhoud van de verpakking	
Statische poort beveiliging	✓	Meegeleverde kabels	AC
SSH/SSL support	✓	Snelstartgids	✓
IP-MAC-Port binding	✓	Rekbevestigingspakket	✓
Wachtwoordbeveiliging	✓	Certificaten	
Multicast-functies		Certificaten van naleving	CE, Federal Communications Commission (FCC), RoHS
Multicast-ondersteuning	✓		



8885020626421



1210002607865



0810142823210



810142823210

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.