

TP-Link Omada IES210GPP netwerk-switch Managed Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) DIN rail Grijs

Merk: TP-Link Productfamilie: Omada Artikelcode: IES210GPP

Productnaam: IES210GPP

TP-Link Omada IES210GPP. Switch type: Managed. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 20 Gbit/s. Netwerkstandaard: IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt. DC voltage input: 12 - 57 V. Power over Ethernet (PoE). Rack-montage, Vormfactor: DIN rail





Beheerfuncties		Data-uitwisseling	
Switch type *	Managed	Jumbo Frames ondersteuning	✓
Quality of Service (QoS)	✓	Jumbo frames	15000
Web-gebaseerd management	✓	Packet buffergeheugen	4000 MB
Cloud-beheerd	✓	Beveiliging	
Poorten & interfaces		DHCP-functies	DHCP client
Aantal basis-switching RJ-45	8	IGMP snooping	✓
Ethernet-poorten *		Bescherming lus	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Multicast-functies	
Aantal Combo SFP-poorten	2	Multicast-ondersteuning	✓
Netwerk		Design	
Netwerkstandaard *	IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt	Rack-montage *	✓
10G support *	×	Vormfactor	DIN rail
Port mirroring	✓	Kleur van het product LED-indicatoren	Grijs
Datastroombeheer	✓		/
Verbindingsaggregatie	✓	Energie	
Broadcast stormbeheer	✓	Stroombron *	DC
Auto MDI/MDI-X	✓	DC voltage input	12 - 57 V
Ethernet LAN, data-	10 100 1000 Mb:t/-	Power over Ethernet (PoE)	
overdrachtsnelheden	10,100,1000 Mbit/s	Power over Ethernet (PoE) *	✓
Auto-negotiation	✓	Aantal Power over Ethernet plus	6
VLAN=ondersteuning	✓	(PoE +)-poorten Aantal Power over Ethernet 4PPoE	
Aantal VLANs	4000	(PoE++)-poorten	2
Data-uitwisseling		Totaal Power over Ethernet (PoE)-	240 W
Switchingcapaciteit *	20 Gbit/s	budget 240 W	
Verzending snelheid	14,88 Mpps		

Data-uitwisseling		Gewicht en omvang	
MAC-adrestabel *	8000 entries	Breedte	155 mm
Store-and-forward	✓	Diepte	120 mm
		Hoogte	60 mm



1210002602112



1210002602129



0840460600958



840460600958

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.