

NETGEAR GS105EPP Unmanaged Gigabit Ethernet (10/100/1000)
Power over Ethernet (PoE) Bureaublad-/wandmontage Grijs

Merk : NETGEAR

Artikelcode: GS105EPP-100EUS


Productnaam : GS105EPP



NETGEAR GS105EPP. Switch type: Unmanaged. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 5. Full duplex. MAC-adrestabel: 2000 entries. Netwerkstandaard: IEEE 802.1p, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az. DC voltage input: 54 V. Power over Ethernet (PoE). Vormfactor: Bureaublad-/wandmontage

Beheerfuncties		Prestatie	
Switch type *	Unmanaged	Mean time between failures (MTBF)	853770 uur
Quality of Service (QoS)	✓	Energie	
Poorten & interfaces		Stroombron *	AC/DC
Aantal basis-switching RJ-45 Ethernet-poorten *	5	Vermogenstoevoer inclusief *	✗
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	DC voltage input	54 V
Netwerk		Stroom	1.66 A
Netwerkstandaard *	IEEE 802.1p, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az	Vermogensverbruik (max)	137,8 W
10G support *	✗	Power over Ethernet (PoE)	
Koperen ethernetbekabelingstechnologie	1000BASE-T, 100BASE-T, 10BASE-T	Power over Ethernet (PoE) *	✓
Port mirroring	✓	Hoeveelheid Power over Ethernet (PoE) ports	4
Full duplex	✓	Vermogen per poort Power over Ethernet (PoE)	30 W
Datastroombeheer	✓	Totaal Power over Ethernet (PoE)-budget	120 W
Verbindingsaggregatie	✓	Overige specificaties	
Broadcast stormbeheer	✓	Bandbreedte	10 Gbit/s
Rate limiting	✓	Eisen aan de omgeving	
VLAN=ondersteuning	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Data-uitwisseling		Temperatuur bij opslag	-20 - 70 °C
MAC-adrestabel *	2000 entries	Relatieve vochtigheid in bedrijf (V-V)	0 - 90 procent
Store-and-forward	✓	Luchtvochtigheid bij opslag	0 - 95 procent
Jumbo Frames ondersteuning	✓	Hoogte, in bedrijf	0 - 3000 m
Jumbo frames	9216	Warmtedissipatie	3,24 BTU/h
Packet buffergeheugen	0,192 MB	Gewicht en omvang	
Beveiliging		Breedte	158 mm
DHCP-functies	DHCP client	Diepte	101 mm
IGMP snooping	✓	Hoogte	27 mm
Design		Gewicht	400 g
Rack-montage *	✗	Inhoud van de verpakking	
		Snelstartgids	✓

Design		Inhoud van de verpakking	
Stapelbaar *	✗	Gebruikershandleiding	✓
Vormfactor	Bureaublad-/wandmontage	Certificaten	
Kleur van het product	Grijs	Certificaten van naleving	CB, CE, Federal Communications Commission (FCC)
Materiaal behuizing	Metaal		
LED-indicatoren	Activiteit, Link, Power over Ethernet (PoE), Stroom, Snelheid, Status	Certificering	CB, CE LVD, CSA
Prestatie			
Fanloos	✓		



0606449174656



606449174656

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.