

NETGEAR GS116EPP Managed L2/L3 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grijs

Merk : NETGEAR

Artikelcode: GS116EPP-100EUS

Productnaam : GS116EPP



NETGEAR GS116EPP. Switch type: Managed, Switch-laag: L2/L3. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 16, Aantal geïnstalleerde SFP modules: 1. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 1 Gbit/s. Netwerkstandaard: IEEE 802.1p, IEEE 802.3az. Power over Ethernet (PoE)



Beheerfuncties		Design	
Switch type *	Managed	Materiaal behuizing	Metaal
Switch-laag	L2/L3	Prestatie	
Quality of Service (QoS)	✓	Mean time between failures (MTBF)	5704358 uur
Poorten & interfaces		Energie	
Aantal basis-switching RJ-45 Ethernet-poorten *	16	Stroombron *	AC/DC
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Vermogensverbruik (max)	250,6 W
Aantal geïnstalleerde SFP modules *	1	Power over Ethernet (PoE)	
Aantal moduleslots SPF	1	Power over Ethernet (PoE) *	✓
Netwerk		Aantal Power over Ethernet plus (PoE +)-poorten	15
Netwerkstandaard *	IEEE 802.1p, IEEE 802.3az	Vermogen per poort Power over Ethernet (PoE)	30 W
Rate limiting	✓	Totaal Power over Ethernet (PoE)-budget	231 W
Ethernet LAN, data-overdrachtsnelheden	1000 Mbit/s	Overige specificaties	
VLAN=ondersteuning	✓	Bandbreedte	32 Gbit/s
Virtuele LAN-functies	Port-based VLAN	Garantieperiode	5 jaar
Aantal VLANs	64	Eisen aan de omgeving	
Data-uitwisseling		Bedrijfstemperatuur (T-T)	0 - 40 °C
Switchingcapaciteit *	1 Gbit/s	Relatieve vochtigheid in bedrijf (V-V)	0 - 90 procent
MAC-adrestabel *	8000 entries	Luchtvochtigheid bij opslag	0 - 95 procent
Jumbo Frames ondersteuning	✓	Hoogte, in bedrijf	0 - 3000 m
Jumbo frames	10000	Gewicht en omvang	
Packet buffergeheugen	4,1 MB	Breedte	286 mm
Beveiliging		Diepte	101 mm
IGMP snooping	✓	Hoogte	27 mm
Algoritmen wachtrijplanning	Strict Priority Queue (SPQ), Weighted Round Robin (WRR)	Gewicht	830 g
Multicast-functies		Inhoud van de verpakking	
Multicast-ondersteuning	✓	Snelstartgids	✓
Aantal gefilterde multicast-groepen	128	Gebruikershandleiding	✓

Design		Certificaten	
Kleur van het product	Grijs	Certificaten van naleving	BSMI, CE, Federal Communications Commission (FCC), KC, VCCI



0606449174830



606449174830

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.