



TP-Link Omada SG2008 netwerk-switch Managed L2/L2+ Gigabit Ethernet (10/100/1000) Zwart

Merk : TP-Link

Productfamilie: Omada

Artikelcode: SG2008

Productnaam : SG2008




TP-Link Omada SG2008. Switch type: Managed, Switch-laag: L2/L2+. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 16 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3i, IEEE 802.3u, IEEE.... Netstekker: DC-in ingang. Ophangstelsysteem voor aan de muur



Beheerfuncties		Beveiliging	
Switch type *	Managed	IGMP snooping	✓
Switch-laag	L2/L2+	Ondersteunde beveiligingsalgoritmen	SSH, SSH-2, SSL/TLS
Quality of Service (QoS)	✓	SSH/SSL support	✓
Web-gebaseerd management	✓	BPDU filtering / bescherming	✓
Cloud-beheerd	✓	IP-MAC-Port binding	✓
ARP-inspectie	✓	Multicast-functies	
Locatie-instellingen (CLI) configureren	✓	Multicast-ondersteuning	✓
System event log	✓	Protocollen	
Poorten & interfaces		Beheerprotocollen	SNMPv1/v2c/v3, SNMP
Aantal basis-switching RJ-45 Ethernet-poorten *	8	GARP VLAN Registratieprotocol (GVRP)	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Design	
Netstekker	DC-in ingang	Kleur van het product	Zwart
Netwerk		LED-indicatoren	✓
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Ophangstelsysteem voor aan de muur	✓
10G support *	✗	Prestatie	
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Fanloos	✓
Port mirroring	✓	Energie	
Datastroombeheer	✓	Stroombron *	DC
Verbindingsaggregatie	✓	Vermogenstoevoer inclusief *	✓
Broadcast stormbeheer	✓	Stroom	1 A
Rate limiting	✓	Ingangsspanning	12 V
		Vermogensverbruik (max)	6,4 W

Netwerk		Power over Ethernet (PoE)	
Spanning tree protocol	✓	Power over Ethernet (PoE) *	✗
VLAN=ondersteuning	✓	Eisen aan de omgeving	
Virtuele LAN-functies	MAC address-based VLAN, Protocol-based VLAN, Tagged VLAN, Voice VLAN	Bedrijfstemperatuur (T-T)	0 - 40 °C
Aantal VLANs	4000	Temperatuur bij opslag	-40 - 70 °C
Data-uitwisseling		Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Switchingcapaciteit *	16 Gbit/s	Luchtvochtigheid bij opslag	5 - 90 procent
Verzending snelheid	11,9 Mpps	Warmtedissipatie	21,84 BTU/h
MAC-adrestabel *	8000 entries	Gewicht en omvang	
Statische route	✓	Breedte	209 mm
Aantal statische routes	32	Diepte	126 mm
Aantal IP-interfaces	16	Hoogte	26 mm
Jumbo Frames ondersteuning	✓	Inhoud van de verpakking	
Jumbo frames	9000	Meegeleverde kabels	AC
Packet buffergeheugen	4,1 MB	Gebruiksaanwijzing	✓
Beveiliging		Certificaten	
DHCP-functies	DHCP client, DHCP relay, DHCP server, DHCP snooping, DHCPv6 client, DHCPv6 snooping	Certificering	CE, FCC, RoHS
Access Control List (ACL)	✓		



1210002611756

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.