

ZYXEL

Zyxel GS1200-5HPV3 Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Desktop Grijs



Merk : Zyxel

Artikelcode: GS1200-5HPV3-EU0101F

Productnaam : GS1200-5HPV3

Zyxel GS1200-5HPV3. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 5. Full duplex. MAC-adrestabel: 4000 entries, Switchingcapaciteit: 10 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3at, IEEE 802.3az, IEEE.... Netstekker: DC-in ingang. Power over Ethernet (PoE). Vormfactor: Desktop

Beheerfuncties		Multicast-functies	
Switch type *	Managed	Aantal gefilterde multicast-groepen	128
Switch-laag	L2	Design	
Quality of Service (QoS)	✓	Rack-montage *	✗
Web-gebaseerd management	✓	Stapelbaar *	✗
Poorten & interfaces		Vormfactor	Desktop
Aantal basis-switching RJ-45 Ethernet-poorten *	5	Kleur van het product	Grijs
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	LED-indicatoren	✓
Netstekker	DC-in ingang	Prestatie	
Netwerk		Fanloos	✓
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Mean time between failures (MTBF)	1730334 uur
10G support *	✗	Energie	
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-T, 1000BASE-T	Stroombron *	AC/PoE
Port mirroring	✓	Vermogenstoevoer inclusief *	✓
Full duplex	✓	AC-ingangsspanning	100 - 240 V
Datastroombeheer	✓	AC-ingangsfrequentie	50/60 Hz
Broadcast stormbeheer	✓	Vermogensverbruik (max)	4,153 W
VLAN=ondersteuning	✓	Power over Ethernet (PoE)	
Virtuele LAN-functies	Port-based VLAN	Power over Ethernet (PoE) *	✓
Data-uitwisseling		Hoeveelheid Power over Ethernet (PoE) ports	4
Switchingcapaciteit *	10 Gbit/s	Totaal Power over Ethernet (PoE)-budget	68 W
Verzending snelheid	7,44 Mpps	Eisen aan de omgeving	
MAC-adrestabel *	4000 entries	Bedrijfstemperatuur (T-T)	0 - 50 °C
Jumbo Frames ondersteuning	✓	Temperatuur bij opslag	-40 - 70 °C
Jumbo frames	15	Relatieve vochtigheid in bedrijf (V-V)	10 - 95 procent
Packet buffergeheugen	0,192 MB	Luchtvochtigheid bij opslag	10 - 95 procent
Beveiliging		Warmte-dissipatie	44,788 BTU/h
DHCP-functies	DHCP client	Gewicht en omvang	
IGMP snooping	✓	Breedte	155 mm
Wachtwoordbeveiliging	✓	Diepte	85 mm
Algoritmen wachtrijplanning	Weighted Round Robin (WRR)	Hoogte	26 mm
		Gewicht	274 g

Multicast-functies		Certificaten	
Multicast-ondersteuning	✓	Certificering	CE-LVD, BSMI CE, EAC, FCC, BSMI Class B



4718937649815

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.