

Brother QL-810WC labelprinter Direct thermisch Kleur 300 x 300 DPI 176 mm/sec Bedraad en draadloos DK Wifi

Merk : Brother

Artikelcode: QL-810WC

Productnaam : QL-810WC

Brother QL-810WC. Printtechnologie: Direct thermisch, Maximale resolutie: 300 x 300 DPI, Printsnelheid (metrisch): 176 mm/sec, Kleur. Connectiviteitstechnologie: Bedraad en draadloos, Wifi, USB-poort. Soort tape: DK. Kleur van het product: Zwart, Wit



Printsnelheid		Design	
Printtechnologie *	Direct thermisch	Kleur van het product *	Zwart, Wit
Kleur *	✓	Ingebouwd display	✗
Maximale resolutie *	300 x 300 DPI	Soort bediening	Knoppen
Printsnelheid (metrisch) *	176 mm/sec	Energie	
Printsnelheid	110 lpm	AC-ingangsspanning	220 - 240 V
Printkleuren	Zwart, Rood	Automatisch uitschakelen	✓
Maximale print breedte *	6,1 cm	Minimale systeemeisen	
Tekstuitlijning	Centrum, Links	Ondersteunt Windows	✓
Papier		Ondersteunt Mac-besturingssysteem	✓
Autocutter	✓	Ondersteunde mobiele besturingssystemen	Android, iOS
Maximale label breedte	6,2 cm	Gewicht en omvang	
Maximale label lengte	1 m	Breedte	125 mm
Poorten & interfaces		Diepte	234 mm
Connectiviteitstechnologie *	Bedraad en draadloos	Hoogte	145 mm
Ethernet LAN *	✗	Gewicht	1,12 kg
Wifi *	✓	Verpakking	
Wi-Fi-standaarden	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Breedte verpakking	298 mm
Bluetooth	✗	Diepte verpakking	184 mm
USB-poort *	✓	Hoogte verpakking	232 mm
Aantal USB 2.0-poorten	1	Gewicht verpakking	2,66 kg
Prestatie		Inhoud van de verpakking	
Paginabeschrijving talen	ESC P, Raster_P	Meegeleverde kabels	AC, USB
Flash memory	6 MB		

Prestatie		Inhoud van de verpakking	
Ingebouwde streepjescodes	CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, Datamatrix, EAN128, EAN13, EAN8, GS1 DataBar, GS1 DataBar Expanded, GS1 DataBar Limited, GS1-128, ISBN-2, ISBN-5, ITF-25, MaxiCode, Micro QR Code, MicroPDF417, PDF417, POSTNET, QR Code, UPC-A, UPC-E	Meegeleverde software	P-touch Editor Lite P-touch Editor 5 P-touch Editor Lite LAN P-touch Address Book BR Admin Light
Soort tape	DK	Technische details	
Ondersteunde beveiligingsalgoritmen	AES, EAP-FAST, EAP-TLS, EAP-TTLS, LEAP, PEAP, TKIP, WEP, WPA-PSK, WPA2-AES, WPA2-PSK, WPA2-TKIP	Duurzaamheidscertificaten	ENERGY STAR
Detectie tapeformaat	✓		



4977766827096

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.