

Intellinet 507219 rack console 48,3 cm (19") 1920 x 1080 Pixels

Merk : Intellinet

Artikelcode: 507219

Productnaam : 507219

Intellinet 507219. Beeldscherm diagonaal: 48,3 cm (19"), Resolutie: 1920 x 1080 Pixels, Beeldscherm: LCD. Aansluiting toetsenbord: USB, PS/2, Aansluiting muis: USB, PS/2, Aansluiting video: VGA. Certificering: FCC, CE. AC-adapter ingangsspanning: 100 - 240 V. Ondersteunt Windows: Windows 2000, Windows 2000 Professional, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7...



Beeldscherm		Toetsenbord	
Beeldscherm diagonaal	48,3 cm (19")	Aantal toetsen, toetsenbord	99
Resolutie	1920 x 1080 Pixels	Ingebouwde touchpad	✓
Beeldscherm	LCD	Certificaten	
Helderheid	350 cd/m ²	Certificering	FCC, CE
Typische contrastverhouding	1000:1	Energie	
On Screen Display (OSD)	✓	AC-adapter ingangsspanning	100 - 240 V
Pixel pitch	0,294 x 0,294 mm	Eisen aan de omgeving	
Beeldscherm, aantal kleuren	16.78 miljoen kleuren	Bedrijfstemperatuur (T-T)	0 - 50 °C
Technische details		Temperatuur bij opslag	-20 - 60 °C
Mean time between failures (MTBF)	50000 uur	Minimale systeemeisen	
LED-indicatoren	✓	Windows 2000, Windows 2000 Professional, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
Certificaten van naleving	RoHS		
Poorten & interfaces		Ondersteunt Windows	
Aansluiting toetsenbord	USB, PS/2	Gewicht en omvang	
Aansluiting muis	USB, PS/2	Breedte	450 mm
Aansluiting video	VGA	Hoogte	675 mm
Aansluiting voor netstroomadapter	✓	Diepte	42 mm
		Gewicht	24,2 kg
		Inhoud van de verpakking	
		Meegeleverde kabels	PS/2, USB

Inhoud van de verpakking

Inclusief AC-adapter	✓
Rekbevestigingspakket	✓



0766623507219



766623507219

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.