

TP-Link Omada TL-SG2210MP Managed L2/L2+ Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) 1U Zwart

Merk : TP-Link

Productfamilie: Omada

Artikelcode: SG2210MP

Productnaam : TL-SG2210MP



TP-Link Omada TL-SG2210MP. Switch type: Managed, Switch-laag: L2/L2+. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 20 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ab, IEEE.... Power over Ethernet (PoE). Rack-montage, Vormfactor: 1U

Beheerfuncties		Beveiliging	
Switch type *	Managed	DHCP-functies	DHCP client, DHCP relay, DHCP server, DHCP snooping, DHCPv6 client, DHCPv6 snooping
Switch-laag	L2/L2+	Access Control List (ACL)	✓
Quality of Service (QoS)	✓	IGMP snooping	✓
Web-gebaseerd management	✓	Ondersteunde beveiligingsalgoritmen	EAP-LEAP, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, SNMP, SNMPv2, SNMPv3, SSH, SSH-2, SSL/TLS
Cloud-beheerd	✓	SSH/SSL support	✓
ARP-inspectie	✓	BPDU filtering / bescherming	✓
Locatie-instellingen (CLI) configureren	✓	IP-MAC-Port binding	✓
System event log	✓	Algoritmen wachtrijplanning	SP, Weighted Round Robin (WRR)
MIB-ondersteuning	RFC2925, RFC2618, RFC2620, RFC2021, RFC2819, RFC2674, RFC1213, RFC2233, RFC1643, RFC1493	Multicast-functies	
Poorten & interfaces		Multicast-ondersteuning	✓
Aantal basis-switching RJ-45 Ethernet-poorten *	8	Protocollen	
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Beheerprotocollen	SNMPv1/v2c/v3, SNMP
Aantal Gigabit Ethernet (koper)-poorten	8	Design	
Aantal moduleslots SPF	2	Rack-montage *	✓
Netwerk		Vormfactor	1U
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Kleur van het product	Zwart
		Aantal ventilatoren	1 ventilator(en)
10G support *	✗	Energie	
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Stroombron *	AC
Port mirroring	✓	Vermogenstoevoer inclusief *	✓
Datastroombeheer	✓	AC-ingangsspanning	100 - 240 V
Verbindingsaggregatie	✓	AC-ingangsfrequentie	50/60 Hz
Broadcast stormbeheer	✓	Vermogensverbruik (max)	173,9 W
Rate limiting	✓	Power over Ethernet (PoE)	
Spanning tree protocol	✓	Power over Ethernet (PoE) *	✓
VLAN-ondersteuning	✓	Aantal Power over Ethernet plus (PoE +)-poorten	8
		Totaal Power over Ethernet (PoE)-budget	150 W
		Eisen aan de omgeving	
		Bedrijfstemperatuur (T-T)	0 - 50 °C
		Temperatuur bij opslag	-40 - 70 °C


Netwerk		Eisen aan de omgeving	
Virtuele LAN-functies	MAC address-based VLAN, Multicast VLAN, Protocol-based VLAN, Tagged VLAN, Voice VLAN	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Aantal VLANs	4000	Luchtvochtigheid bij opslag	5 - 90 procent
Optische vezel		Warmtedissipatie	594,46 BTU/h
Fiber ethernet cabling technologie	100BASE-FX, 1000BASE-X	Gewicht en omvang	
Data-uitwisseling		Breedte	294 mm
Switchingcapaciteit *	20 Gbit/s	Diepte	180 mm
Verzending snelheid	14,9 Mpps	Hoogte	44 mm
MAC-adrestabel *	8000 entries	Certificaten	
Aantal wachtrijen	8	Certificering	CE, FCC, RoHS
Jumbo Frames ondersteuning	✓		
Jumbo frames	9000		
Packet buffergeheugen	4,1 MB		



6935364030674



1210002611787



0840460605083



840460605083

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.