



TP-Link JetStream TL-SG3428X netwerk-switch Managed L2+/L3 Gigabit Ethernet (10/100/1000) 1U Zwart

Merk : TP-Link

Productfamilie: JetStream

Artikelcode: TL-SG3428X

Productnaam : TL-SG3428X



TP-Link JetStream TL-SG3428X. Switch type: Managed, Switch-laag: L2+/L3. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24, Console port: RJ-45/micro-USB. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 128 Gbit/s. Netwerkstandaard: IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z. Netstekker: AC-in-aansluiting. Rack-montage, Vormfactor: 1U



Beheerfuncties		Beveiliging	
Switch type *	Managed	IGMP snooping	✓
Switch-laag	L2+/L3	SSH/SSL support	✓
Quality of Service (QoS)	✓	Bescherming lus	✓
Web-gebaseerd management	✓	BPDU filtering / bescherming	✓
Cloud-beheerd	✓	IP-MAC-Port binding	✓
ARP-inspectie	✓	Authenticatie	Gast-VLAN, MAC-gebaseerde authenticatie, Poortgebaseerde authenticatie
Locatie-instellingen (CLI) configureren	✓	Authenticatie type	AAA, RADIUS, TACACS+
System event log	✓	Multicast-functies	
MIB-ondersteuning	Yes	Multicast-ondersteuning	✓
Poorten & interfaces		Multicast Listener Discovery (MLD) snooping	✓
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Protocollen	
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Beheerprotocollen	SNMPv1/v2c/v3, SNMP
Aantal Gigabit Ethernet (koper)-poorten	24	GARP VLAN Registratieprotocol (GVRP)	✓
Aantal moduleslots SPF+	4	IPv4- & IPv6-functies	IPv4/IPv6 access-control list (ACL), IPv6 Telnet, IPv6 ping, IPv6 tracer
Console port	RJ-45/micro-USB	Design	
Netstekker	AC-in-aansluiting	Rack-montage *	✓
Netwerk		Vormfactor	1U
Netwerkstandaard *	IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z	Kleur van het product	Zwart
10G support *	✓	LED-indicatoren	✓
Port mirroring	✓	Aantal ventilatoren	0 ventilator(en)
Op beleid gebaseerde routing	✓	Prestatie	
Datastroombeheer	✓	Fanloos	✓
Verbindingsaggregatie	✓		

Netwerk		Energie	
Broadcast stormbeheer	✓	Stroombron *	AC
Rate limiting	✓	Vermogenstoevoer inclusief *	✓
Spanning tree protocol	✓	AC-ingangsspanning	100 - 240 V
Head-of-line (HOL) blocking	✓	AC-ingangsfrequentie	50/60 Hz
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Vermogensverbruik (max)	23,6 W
Active Link-detectie	✓	Power over Ethernet (PoE)	
IPv4-routes	48	Power over Ethernet (PoE) *	✗
IPv6-routes	48	Eisen aan de omgeving	
VLAN=ondersteuning	✓	Bedrijfstemperatuur (T-T)	0 - 45 °C
Virtuele LAN-functies	Private VLAN, Protocol-based VLAN, Tagged VLAN, Voice VLAN	Temperatuur bij opslag	-40 - 70 °C
Aantal VLANs	4000	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Data-uitwisseling		Luchtvochtigheid bij opslag	5 - 90 procent
Switchingcapaciteit *	128 Gbit/s	Warmtedissipatie	80,353 BTU/h
Verzending snelheid	95,23 Mpps	Gewicht en omvang	
MAC-adrestabel *	16000 entries	Breedte	440 mm
Store-and-forward	✓	Diepte	180 mm
Statische route	✓	Hoogte	44 mm
Aantal statische routes	48	Inhoud van de verpakking	
Jumbo Frames ondersteuning	✓	Meegeleverde kabels	LAN (RJ-45)
Jumbo frames	9000	Snelstartgids	✓
Packet buffergeheugen	12 MB	Verpakking	
Beveiliging		Breedte verpakking	528 mm
DHCP-functies	DHCP client, DHCP relay, DHCP server, DHCP snooping, DHCPv6 client, DHCPv6 snooping	Diepte verpakking	250 mm
Access Control List (ACL)	✓	Hoogte verpakking	80 mm
		Gewicht verpakking	2,69 kg
		Logistieke gegevens	
		Code geharmoniseerd systeem (HS) 85176990	



6935364010539



5055309628597

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.