



TP-Link TL-SG1024DE netwerk-switch Managed L2 Gigabit Ethernet (10/100/1000) Zwart



Merk : TP-Link

Artikelcode: TL-SG1024DE

Productnaam : TL-SG1024DE

TP-Link TL-SG1024DE. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24. Full duplex. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 48 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Rack-montage

Beheerfuncties

Switch type *	Managed
Switch-laag	L2
Quality of Service (QoS)	✓

Poorten & interfaces

Aantal basis-switching RJ-45 Ethernet-poorten *	24
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)

Netwerk

Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
10G support *	✗
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T
Port mirroring	✓
Full duplex	✓
Datastroombeheer	✓
Verbindingsaggregatie	✓
Broadcast stormbeheer	✓
Rate limiting	✓
Auto MDI/MDI-X	✓
Aantal VLANs	32

Data-uitwisseling

Switchingcapaciteit *	48 Gbit/s
Throughput	35,7 Mpps
MAC-adrestabel *	8000 entries
Store-and-forward	✓
Aantal wachtrijen	4
Jumbo Frames ondersteuning	✓
Jumbo frames	10000
Packet buffergeheugen	4,1 MB

Beveiliging

IGMP snooping	✓
---------------	---

Design

Rack-montage *	✓
Kleur van het product	Zwart
LED-indicatoren	✓

Energie

Vermogenstoevoer inclusief *	✓
AC-ingangsspanning	100 - 240 V
AC-ingangsfrequentie	50 - 60 Hz
Stroomverbruik (typisch)	14,19 W

Eisen aan de omgeving

Bedrijfstemperatuur (T-T)	0 - 40 °C
Temperatuur bij opslag	-40 - 70 °C
Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Luchtvochtigheid bij opslag	5 - 90 procent
Warmtedissipatie	48,39 BTU/h

Gewicht en omvang

Breedte	294 mm
Diepte	180 mm
Hoogte	44 mm

Inhoud van de verpakking

Meegeleverde kabels	AC
Gebruiksaanwijzing	✓
Rekbevestigingspakket	✓

Verpakking


Type verpakking	Doos
-----------------	------

Certificaten

Certificering	FCC, CE, RoHS
---------------	---------------

Logistieke gegevens

Code geharmoniseerd systeem (HS) 85176990



1210002616812



0840460604017



840460604017

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.