



LevelOne GNC-0110 netwerkkaart Intern Fiber 1000 Mbit/s


Merk : LevelOne

Artikelcode: GNC-0110

Productnaam : GNC-0110



LevelOne GNC-0110. Intern. Connectiviteitstechnologie: Bedraad, Hostinterface: PCI Express, Interface: Fiber. Maximale overdrachtssnelheid van gegevens: 1000 Mbit/s. Kleur van het product: Aluminium



Poorten & interfaces		Eisen aan de omgeving	
Connectiviteitstechnologie *	Bedraad	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Hostinterface *	PCI Express	Gewicht en omvang	
Interface *	Fiber	Breedte	115 mm
Fibre channel-poorten	1	Diepte	68 mm
Vezel-optische connector	SFP	Hoogte	17 mm
PCI versie	1.1	Gewicht	70 g
Netwerk		Verpakking	
Maximale overdrachtssnelheid van gegevens *	1000 Mbit/s	Aantal	1
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ad, IEEE 802.3x, IEEE 802.3z	Breedte verpakking	145 mm
Wake-on-LAN	✓	Diepte verpakking	220 mm
Full duplex	✓	Hoogte verpakking	30 mm
Design		Gewicht verpakking	62 g
Kleur van het product	Aluminium	Inhoud van de verpakking	
Intern *	✓	Montagebeugels meegeleverd	✓
LED-indicatoren	Activiteit, Link	Gebruikershandleiding	✓
Land van herkomst	China	Logistieke gegevens	
Minimale systeemeisen		Code geharmoniseerd systeem (HS)	85176990
Ondersteunt Windows	Windows 2000, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 98, Windows ME, Windows NT, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Overige specificaties	
		Snelstartgids	✓

Eisen aan de omgeving

Bedrijfstemperatuur (T-T) 0 - 55 °C



4015867191057

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAR-2024. Prints or copies of Information are only valid on the printed Publication date