



TP-Link Archer VR400 draadloze router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Zwart

Merk : TP-Link

Artikelcode: ARCHER VR400 V2

Productnaam : Archer VR400



802.11ac, Gigabit Ethernet, USB 2.0, 867Mbps/300Mbps, 2.4GHz/5GHz, IPv4/IPv6, Zwart
 TP-Link Archer VR400. Type WAN-aansluiting: RJ-45. Wifi-band: Dual-band (2.4 GHz / 5 GHz), Wifi-standaard: Wi-Fi 5 (802.11ac), WLAN gegevensoverdrachtsnelheid (max): 867 Mbit/s. Interfacetype Ethernet LAN: Gigabit Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s, Bekabelingstechnologie: 10/100/1000Base-T(X). Ondersteunde beveiligingsalgoritmen: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK. Beheerprotocollen: SSL for TR-069, SNMP v1/2c, Web Based Firmware Upgrade, Diagnostic Tools, Ondersteunde netwerkprotocollen: IPv4, IPv6

WAN-verbinding		Beveiliging	
Ethernet WAN *	✓	MAC adres filtering	✓
DSL WAN *	✓	DMZ support	✓
SIM-kaartsleuf *	✗	Protocollen	
3G/4G USB modem compatibiliteit *	✓	DHCP client	✓
Type WAN-aansluiting	RJ-45	DHCP server	✓
Draadloos LAN		Universal Plug and Play (UPnP)	✓
Wifi-band *	Dual-band (2.4 GHz / 5 GHz)	Beheerprotocollen	SSL for TR-069, SNMP v1/2c, Web Based Firmware Upgrade, Diagnostic Tools
Wifi-standaard *	Wi-Fi 5 (802.11ac)	Ondersteunde netwerkprotocollen	IPv4, IPv6
WLAN gegevensoverdrachtsnelheid (max) *	867 Mbit/s	Design	
Wi-Fi-standaarden	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Kleur van het product	Zwart
WLAN gegevensoverdrachtsnelheid (eerste band)	300 Mbit/s	Ophangstelsysteem voor aan de muur	✓
WLAN gegevensoverdrachtsnelheid (tweede band)	867 Mbit/s	Indicatielampje	✓
Netwerk		LED-indicatoren	LAN, Stroom, WLAN
Ethernet LAN *	✓	Aan/uitschakelaar	✓
Interfacetype Ethernet LAN *	Gigabit Ethernet	Type product *	Router om neer te zetten
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Inhoud van de verpakking	
Bekabelingstechnologie	10/100/1000Base-T(X)	Meegeleverde kabels	LAN (RJ-45)
Netwerkstandaard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Inclusief AC-adapter	✓
Port forwarding	✓	Gebruikershandleiding	✓
Dynamic DNS (DDNS)	✓	Snelstartgids	✓
Statische route	✓	Antenne	
VPN tunnels quantity	10	Antenne-ontwerp *	Extern
VPN-doorvoer	✓	Antennas quantity	3
VPN eigenschappen	PTP, L2TP, IPSec Passthrough	Afneembare antennes	✓
DSL-eigenschappen		Kenmerken	
ADSL	✓	Certificering	CE, RoHS
		Energie	
		Type stroombron *	AC

DSL-eigenschappen		Energie	
ADSL2	✓	Spanning	12 V
ADSL2+	✓	Output current	1,5 A
VDSL2	✓	Eisen aan de omgeving	
Poorten & interfaces		Bedrijfstemperatuur (T-T)	0 - 40 °C
Aantal Ethernet LAN (RJ-45)-poorten *	5	Temperatuur bij opslag	-40 - 70 °C
USB-poort *	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Aantal USB 2.0-poorten	1	Luchtvochtigheid bij opslag	5 - 90 procent
Geheugenkaart slot(s)	✗	Minimale systeemeisen	
Aansluiting voor netstroomadapter	✓	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
Beheerfuncties		Ondersteunt Windows	
Quality of Service (QoS)	✓	Ondersteunt Linux	✓
Reset button	✓	Ondersteunt Mac-besturingssysteem	✓
WPS Push Button Security	✓	Gewicht en omvang	
Beveiliging		Breedte	215,6 mm
Ondersteunde beveiligingsalgoritmen	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK	Diepte	124,6 mm
Firewall	✓	Hoogte	31,6 mm
Toegang voor gasten	✓	Verpakking	
Access Control List (ACL)	✓	Breedte verpakking	350 mm
Filtratie	✓	Diepte verpakking	240 mm
		Hoogte verpakking	82 mm
		Gewicht verpakking	850 g
		Type verpakking	Doos



6935364096854



0845973096854



845973096854



6935364096861

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.