

## **DIGITUS® Server Cabinet Unique Series**







- ✓ 1,5 mm strong sheet steel
- ✓ Loading capacity up to 1000 kg
- ✓ Safety class IP 20
- ✓ Large range of equipment available

### **Abstract**

DIGITUS® Server Cabinet Unique Series - 600, 800 mm width - 1000 mm depth

#### **Features**

- Safety class rating IP20
- 63% perforated steel front- and rear door with swing handle lock and profile cylinder
- 4-point locking system front door, 3-point locking system rear door
- Side panels lockable
- 230° opening door angle, front- and rear door
- Door stop is easy to change
- High frame rigidity due to special plate-curving-technique
- Steel plate 1.5 mm
- 1000 kg loading capacity 19" profile
- 19" profile rails mounted in the front and the back of the cabinet
- 19" profile rails adjustable in depth
- 19" profile rails with unit-marking
- Big cable entry with black cellular rubber seal on the bottom and roof module
- Adjustable feet for safely constructioning and positioning
- 4 rolls, front lockable
- Construction of roof ventilation for fan units
- 2 keys for door and side panels included, EMKA lock system
- Available in color grey (RAL 7035) and black (RAL 9005)
- Several earthing points for mounting components
- Rack is completely mounted
- Large range of equipment available



#### **Product Overview**

The DIGITUS Server Cabinet Unique Series is designed and produced for the safe housing of server equipment. They provide maximum optimization resulted to an optimum performance in between quality and added value. Each cabinet is designed with strength, ease of use and aesthetics in mind. The Unique Series is available in four heights, from 26 units up to 47 units, and a choice of either 600 mm or 800 mm width and a depth of 1000 mm. The Unique Series is ideal for small and mid size server rooms through to multi data center installations. The strength of the cabinet is the modular frame construction, which makes the cabinet very robust. Key elements include air flow (high perforation of 63%) and cooling management (ventilation). The Unique Series ensures easy access to equipment die to quick release side panels as well as the front and rear door. Each cabinet consists of two sets of heavy duty 19" mounting profiles, which can be adjusted throughout the depth of the cabinet. Between these profiles are 4 sets of front to rear strength members. The Series come up with a carrying capacity of up to 1000 kg. The swing handle lock incorporates a 4-point lock on front and a 3-point lock on the back side of the cabinet.

All in all the Unique Server cabinet is the perfect solution for your server room.

#### **Product Number Information**

### Server Cabinet Unique Series - 600 mm width x 1000 mm depth

=	·
DN-19 SRV-26U-1	DIGITUS® 26U server cabinet, 1260x600x1000 mm, color grey (RAL 7035)
DN-19 SRV-26U-B-1	DIGITUS® 26U server cabinet, 1260x600x1000 mm, color black (RAL 9005)
DN-19 SRV-26U-B-G-1	DIGITUS® 26U server cabinet, 1260x600x1000 mm, color black (RAL 9005),
	glass door
DN-19 SRV-26U-GD-1	DIGITUS® 26U server cabinet, 1260x600x1000 mm, color grey (RAL 7035),
	glass door
DN-19 SRV-36U-1	DIGITUS® 36U server cabinet, 1705x600x1000mm, color grey (RAL 7035)
DN-19 SRV-36U-B-1	DIGITUS® 36U server cabinet, 1705x600x1000mm, color black (RAL 9005)
DN-19 SRV-36U-B-G	DIGITUS® 36U server cabinet, 1705x600x1000mm, color black (RAL 9005),
	glass door
DN-19 SRV-36U-G-1	DIGITUS® 36U server cabinet, 1705x600x1000mm, color grey (RAL 7035),
	glass door
DN-19 SRV-42U-B-1	DIGITUS® 42U server cabinet, 1970x600x1000mm, color black (RAL 9005)
DN-19 SRV-42U-B-GD-1	DIGITUS® 42U server cabinet, 1970x600x1000mm, color black (RAL 9005),
	glass door
DN-19 SRV-42U-GD-1	DIGITUS® 42U server cabinet, 1970x600x1000mm, color grey (RAL 7035),
	glass door
DN-19 SRV-42U-N-1	DIGITUS® 42U server cabinet, 1970x600x1000mm, color grey (RAL 7035)
DN-19 SRV-47U-GD-1	DIGITUS® 47U server cabinet, 2194x600x1000mm, color grey (RAL 7035),
	glass door



## Server Cabinet Unique Series - 800 mm width x 1000 mm depth

DN-19 SRV-42U-8-B
DIGITUS® 42U server cabinet, 1970x800x1000 mm, color black (RAL 9005)
DN-19 SRV-42U-8-B-GD
DIGITUS® 42U server cabinet, 1970x800x1000 mm, color black (RAL 9005),
glass door
DN-19 SRV-42U-8-N-1
DIGITUS® 42U server cabinet, 1970x800x1000 mm, color grey (RAL 7035)
DN-19 SRV-47U-8-1
DIGITUS® 47U server cabinet, 2194x800x1000 mm, color grey (RAL 7035)
DN-19 SRV-47U-8-B-1
DIGITUS® 47U server cabinet, 2194x800x1000 mm, color black (RAL 9005)
DN-19 SRV-47U-8-GD-1
DIGITUS® 47U server cabinet, 2194x800x1000 mm, color grey (RAL 7035),
glass door

## **Product Images**










Assmann Electronic GmbH, Auf dem Schüffel 3, 58513 Lüdenscheid, Germany, info@assmann.com, printing errors, falsities and technical changes remain reserved




# **Technical Drawings**

# Server Cabinet Unique Series - 600 mm width x 1000 mm depth



Server Cabinet Unique Series - 800 mm width x 1000 mm depth



Assmann Electronic GmbH, Auf dem Schüffel 3, 58513 Lüdenscheid, Germany, info@assmann.com, printing errors, falsities and technical changes remain reserve