

StarTech.com 10/100 multi-mode Glasvezel Ethernet Converter SC 2 km

Merk : StarTech.com

Artikelcode: MCM110SC2EU

Productnaam : 10/100 multi-mode Glasvezel Ethernet Converter SC 2 km

StarTech.com 10/100 multi-mode Glasvezel Ethernet Converter SC 2 km
 StarTech.com 10/100 multi-mode Glasvezel Ethernet Converter SC 2 km. Maximale overdrachtssnelheid van gegevens: 100 Mbit/s, Converter input interface: 100BASE-FX, 100Base-TX, 10Base-T, Netwerkstandaard: IEEE 802.1Q, IEEE 802.3, IEEE 802.3u. Vezel-optische connector: SC, Connectiviteitstechnologie: Bedraad. Maximaal bereik: 2000 m, Golflengte: 1310 nm, Draad modus structuur: Multimode. LED-indicatoren: Activiteit, Link, Stroom, Kleur van het product: Zwart, Materiaal behuizing: Kunststof. Ingangsspanning: 230 V, Spanning: 12 V, Output current: 0,2 A



Netwerk		Design	
Maximale overdrachtssnelheid van gegevens *	100 Mbit/s	Materiaal behuizing	Kunststof
Converter input interface	100BASE-FX, 100Base-TX, 10Base-T	Certificering	CE, FCC
Netwerkstandaard	IEEE 802.1Q, IEEE 802.3, IEEE 802.3u	Energie	
Ethernet LAN, data-overdrachtsnelheden	10,100 Mbit/s	Ingangsspanning	230 V
Jumbo Frames ondersteuning	✓	Spanning	12 V
Jumbo frames	9000	Output current	0,2 A
Datastroombeheer	✓	Power over Ethernet (PoE)	✗
Auto MDI/MDI-X	✓	Type stekker	Type M
Auto-negotiation	✓	Gewicht en omvang	
Duplex systeem	Volledig, Half	Breedte	75 mm
Poorten & interfaces		Diepte	95 mm
Connectiviteitstechnologie	Bedraad	Hoogte	20 mm
Aantal Ethernet LAN (RJ-45)-poorten	1	Gewicht	90,5 g
Fibre channel-poorten	1	Eisen aan de omgeving	
Vezel-optische connector *	SC	Bedrijfstemperatuur (T-T)	0 - 50 °C
Aansluiting voor netstroomadapter	✓	Temperatuur bij opslag	-10 - 70 °C
Prestatie		Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Maximaal bereik *	2000 m	Verpakking	
Golflengte *	1310 nm	Breedte verpakking	145 mm
Golflengtemultiplexing (WDM)	✗	Diepte verpakking	175 mm
Draad modus structuur	Multimode	Hoogte verpakking	65 mm
Mean time between failures (MTBF)	65000 uur	Gewicht verpakking	300 g
Design		Inhoud van de verpakking	
Intern *	✗	Inclusief AC-adapter	✓
LED-indicatoren	Activiteit, Link, Stroom	Gebruikershandleiding	✓

Design

Kleur van het product Zwart

Technische details


Duurzaamheidscertificaten RoHS

Logistieke gegevens

Code geharmoniseerd systeem (HS) 85176990



0065030836838



065030836838

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 08-MAR-2024. Prints or copies of Information are only valid on the printed Publication date