

StarTech.com 2S1P PCI Express Seriële Parallele Combokaart met Breakout-kabel

Merk : StarTech.com

Artikelcode: PEX2S1P553B

Productnaam : 2S1P PCI Express Seriële Parallele Combokaart met Breakout-kabel

StarTech.com 2S1P PCI Express Seriële Parallele Combokaart met Breakout-kabel

StarTech.com 2S1P PCI Express Seriële Parallele Combokaart met Breakout-kabel. Hostinterface: PCIe, Output interface: Parallel, Serie, Uitbreidingskaart vormfactor: Low-profile. Kleur van het product: Zwart, Zilver, Certificering: CE, FCC, REACH. Chipset: ASIX - MCS9901CV-CC, Baud snelheid: 230,4 Kbit/s, FIFO (First In, First Out): 256 B. Ondersteunt Windows: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Ondersteunt Mac-besturingssysteem: Mac OS X 10.4 Tijger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac..., Ondersteunde server operating systems: Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows.... Breedte: 23 mm, Diepte: 95 mm, Hoogte: 79 mm



Poorten & interfaces		Minimale systeemeisen	
Hostinterface *	PCIe		Mac OS X 10.4 Tijger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Output interface *	Parallel, Serie	Ondersteunt Mac-besturingssysteem	
Uitbreidingskaart vormfactor	Low-profile		
Seriële poort(en)	2	Ondersteunt Linux	✓
Soort seriële aansluiting	RS-232		
Parallele poort(en)	1	Ondersteunde server operating systems	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows Server 2019
Design		Andere ondersteundende systemen	Windows Embedded POSReady 2009, Windows XP Embedded
Intern *	✓		
Kleur van het product	Zwart, Zilver		
Certificering	CE, FCC, REACH		
Kenmerken		Technische details	
Chipset	ASIX - MCS9901CV-CC	Certificaten van naleving	RoHS
Baud snelheid	230,4 Kbit/s	Gewicht en omvang	
FIFO (First In, First Out)	256 B	Breedte	23 mm
Data bits	5, 6, 7, 8	Diepte	95 mm
Logical block addressing (LBA) ondersteuning	8 Bit	Hoogte	79 mm
Ondersteunt EPP en ECP	✓	Gewicht	225 g
Parity bit	Even, Mark, Nee, ODD, Ruimte	Verpakking	
Eisen aan de omgeving		Meegeleverde kabels	Serie
Bedrijfstemperatuur (T-T)	0 - 70 °C	Montagebeugels meegeleverd	✓
Temperatuur bij opslag	-40 - 85 °C	Meegeleverde drivers	✓
Relatieve vochtigheid in bedrijf (V-V)	5 - 85 procent	Gebruikershandleiding	✓
		Breedte verpakking	173 mm
		Diepte verpakking	143 mm
		Hoogte verpakking	32 mm
		Gewicht verpakking	317 g

Minimale systeemeisen		Logistieke gegevens
Ondersteunt Windows	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Code geharmoniseerd systeem (HS) 84733020



0065030842426



065030842426



0163120769575



163120769575

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.