

## StarTech.com Dual Port PCI Express Gigabit Ethernet PCIe-netwerkkaart adapter PoE/PSE

**Merk :** StarTech.com

**Artikelcode:** ST2000PEXPSE

**Productnaam :** Dual Port PCI Express Gigabit Ethernet PCIe-netwerkkaart adapter PoE/PSE


StarTech.com Dubbele Poort PCI Express Gigabit Ethernet Netwerkkaart Adapter - 2 Poort PCIe NIC 10/100/100 Server Adapter met PoE PSE

StarTech.com Dual Port PCI Express Gigabit Ethernet PCIe-netwerkkaart adapter PoE/PSE:

Voeg twee Power-over-Ethernet Gigabit-poorten toe aan een PCI Express-computer

The StarTech.com Advantage

StarTech.com Dual Port PCI Express Gigabit Ethernet PCIe-netwerkkaart adapter PoE/PSE. Intern. Connectiviteitstechnologie: Bedraad, Hostinterface: PCI Express, Interface: Ethernet. Maximale overdrachtssnelheid van gegevens: 2000 Mbit/s



Poorten & interfaces		Minimale systeemeisen	
Connectiviteitstechnologie *	Bedraad	Ondersteunt Mac-besturingssysteem	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Hostinterface *	PCI Express	Ondersteunt Linux	✓
Interface *	Ethernet	Ondersteunde server operating systems	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Aantal Ethernet LAN (RJ-45)-poorten	2		
Hoeveelheid Power over Ethernet (PoE) ports	2		
Netwerk		Eisen aan de omgeving	
Maximale overdrachtssnelheid van gegevens *	2000 Mbit/s	Bedrijfstemperatuur (T-T)	0 - 55 °C
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x	Temperatuur bij opslag	-20 - 85 °C
Ethernet LAN	✓	Relatieve vochtigheid in bedrijf (V-V)	5 - 95 procent
Ethernet LAN, data-overdrachtssnelheden	10,100,1000 Mbit/s	Gewicht en omvang	
Bekabelingstechnologie	10/100/1000BaseT(X)	Breedte	19 mm
Auto MDIX IEEE	✓	Diepte	195 mm
Full duplex	✓	Hoogte	68 mm
Jumbo Frames ondersteuning	✓	Gewicht	104 g
VLAN-tagging	✓	Verpakking	
LAN controller	Realtek RTL8111E	Meegeleverde drivers	✓
Design		Low-profile bracket	✓
Component voor *	PC	Breedte verpakking	231 mm
Intern *	✓	Diepte verpakking	165 mm
Chipset	Realtek - RTL8111E	Hoogte verpakking	45 mm
LED-indicatoren	Activiteit, Link, Power over Ethernet (PoE)	Gewicht verpakking	246 g
Mean time between failures (MTBF)	140981 uur	Inhoud van de verpakking	
Certificering	CE, FCC, REACH		


<b>Energie</b>		<b>Inhoud van de verpakking</b>	
Spanning	48 V	Gebruikershandleiding	✓
<b>Minimale systeemeisen</b>		<b>Technische details</b>	
Ondersteunt Windows	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 2000, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98SE, Windows ME, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Certificaten van naleving	RoHS
		<b>Logistieke gegevens</b>	
		Code geharmoniseerd systeem (HS)	85176990
		<b>Overige specificaties</b>	
		Buffergrootte	48 KB
		Datastroombeheer	✓



0065030849128



065030849128



0650308491286



650308491286



4058829177799

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.