

ASUS WS C422 SAGE/10G Intel® C422 LGA 2066 (Socket R4) CEB

Merk : ASUS

Artikelcode: 90SW00J0-M0EAY0


Productnaam : WS C422 SAGE/10G

ASUS WS C422 SAGE/10G. Processorfabrikant: Intel, Processor socket: LGA 2066 (Socket R4), Lithografie: 14 nm. Ondersteunde geheugen types: DDR4-SDRAM, Maximum intern geheugen: 512 GB, Geheugen kanaal: Vierkanaals. Ondersteunde opslagstationinterfaces: SATA III, Soorten RAID: 0, 1, 5, 10. Ondersteuning voor parallel processing: 4-Way CrossFireX, 4-Way SLI. Ethernet interface type: 10 Gigabit Ethernet, LAN controller: Intel® X550-AT2



Processor		Aansluitingen achterzijde	
Processorfabrikant *	Intel	Aantal Ethernet LAN (RJ-45)-poorten	2
Processor socket *	LGA 2066 (Socket R4)		
Lithografie	14 nm		
Geheugen		Netwerk	
Ondersteunde geheugen types *	DDR4-SDRAM	Ethernet LAN	✓
Aantal geheugenslots *	8	Ethernet interface type	10 Gigabit Ethernet
Geheugen kanaal	Vierkanaals	LAN controller	Intel® X550-AT2
Supported memory clock speeds	2133,2400,2666 MHz	Wifi *	✗
Maximum intern geheugen *	512 GB		
Opslag-controllers		Kenmerken	
Ondersteunde opslagstationinterfaces *	SATA III	Chipset moederbord *	Intel® C422
RAID support	✓	Audiochip	Realtek ALC S1220A
Soorten RAID	0, 1, 5, 10	Audio-uitgangskanalen *	7.1 kanalen
Grafisch		Component voor *	Workstation
Ondersteuning voor parallel processing *	4-Way CrossFireX, 4-Way SLI	Moederbord form factor *	CEB
Interne aansluitingen		Moederbord chipset familie *	Intel
USB 3.2 Gen 1 (3.1 Gen 1)-aansluitingen *	1	Uitbreidingsmodules	
USB 3.2-connectoren (3.1 Gen 2) *	1	PCI Express x16 (Gen 3.x) slots	7
Aantal SATA III connectors *	8	Aantal M.2 (M) slots	2
ATX Power connector (24-pin)	✓	BIOS	
Aansluitingen voor EATX voedingen	1	BIOS type *	UEFI
Aansluiting voor CPU koeler	✓	Clear CMOS knop	✓
Aansluitingen voor behuizingsventilatoren	2	Eisen aan de omgeving	
		Temperatuur bij opslag	-40 - 70 °C
		Bedrijfstemperatuur (T-T)	10 - 35 °C
		Relatieve vochtigheid in bedrijf (V-V)	20 - 90 procent

Interne aansluitingen		Logistieke gegevens	
EPS power connector (8-pin)	✓	Code geharmoniseerd systeem (HS) 84733020	
COM aansluitingen	1	Gewicht en omvang	
TPM connector	✓	Breedte	305 mm
Aansluitingen achterzijde		Diepte	267 mm
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type A *	4	Hoogte	300 mm
Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type A *	1	Inhoud van de verpakking	
Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type C *	1	Meegeleverde kabels	SATA
		Gebruiksaanwijzing	✓
		Overige specificaties	
		Maximum LRDIMM geheugen	512 GB
		Gewicht	2,24 kg
		Aantal DIMM sloten	8
		Aantal ondersteunde processoren	1



4712900962956



0889349962954



889349962954

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.