ASUS ZenWiFi Pro XT12(2-PK) Tri-band (2.4 GHz / 5 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Zwart 4 Intern

Merk : ASUS

Artikelcode: 90IG06U0-MO3A20

Productnaam : ZenWiFi Pro XT12(2-PK)

ASUS ZenWiFi Pro XT12(2-PK). Kleur van het product: Zwart, Soort antenne: Intern. Wifi-band: Tri-band (2.4 GHz / 5 GHz / 5 GHz), Wifi-standaard: Wi-Fi 6 (802.11ax), Wi-Fi-standaarden: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Frequentie van processor: 2 GHz, Intern geheugen: 1024 MB, Flash memory: 256 MB. AC-ingangsspanning: 110 - 240 V, AC-ingangsfrequentie: 50/60 Hz, AC-adapter, uitgangsspanning: 19/19.5 V. Breedte: 115 mm, Diepte: 115 mm, Hoogte: 241 mm





Design		Features	
Product colour *	Black	Flash memory	256 MB
Antenna type *	Internal	Virtual assistant	Amazon Alexa
Antennas quantity	10	Quality of Service (QoS) support	 Image: A set of the set of the
Reset button	1	Firewall security	Yes
Wireless LAN features		Parental control	1
Wi-Fi band *	Tri-band (2.4 GHz / 5 GHz / 5 GHz)	MU-MIMO technology	 Image: A start of the start of
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	МІМО	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi	Ports & interfaces	
	6 (802.11ax)	Ethernet LAN (RJ-45) ports *	4
WLAN data transfer rate (first band)	1148 Mbit/s	Ethernet WAN	 Image: A set of the set of the
WLAN data transfer rate (second band)	4804 Mbit/s	DC-in jack	1
WLAN data transfer rate (third	4804 Mbit/s	Power	
band)		AC input voltage	110 - 240 V
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	AC input frequency	50/60 Hz
		AC adapter output voltage	19/19.5 V
Security algorithms	WPA-Enterprise, WPA-PSK, WPA2- Enterprise, WPA2-PSK, WPA3, WPS	AC adapter output current Weight & dimensions	2.37 A
IGMP snooping	·	5	
Dynamic DNS (DDNS)	1	Width	115 mm
Guest access		Depth	115 mm 241 mm
Apps supported	ASUS Router	Height Weight	1.5 kg
Apps supported	VPN Client L2PT VPN Client OVPN	5	1.5 Kg
VPN support	VPN Client PPTP VPN Server IPSec VPN Server OVPN VPN Server PPTP	Packaging content	
		Number of products included	2 pc(s)
Features		AC adapter included	1
Built-in processor	1	Number of units included	2 pc(s)
Processor cores	4	Ethernet cable	 Image: A start of the start of

Features

Processor frequency Internal memory 2 GHz 1024 MB

Logistics data

Harmonized System (HS) code

85171800



4711081359920

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.