



FRITZ!Box 6690 Cable Retail International

Merk : AVM

Productfamilie: FRITZ!Box

Artikelcode: 20002995

Productnaam : 6690 Cable
Retail International

FRITZ!Box 6690 Cable International

FRITZ!Box 6690 Cable Retail International. Wifi-band: Dual-band (2.4 GHz / 5 GHz), Wifi-standaard: Wi-Fi 5 (802.11ac), WLAN gegevensoverdrachtsnelheid (max): 6000 Mbit/s. Interfacetype Ethernet LAN: 10 Gigabit Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10000 Mbit/s. Ondersteunde beveiligingsalgoritmen: WPA2. Type product: Router om neer te zetten, Kleur van het product: Wit, Materiaal behuizing: Kunststof. Meegeleverde kabels: AC, Coaxiaal, LAN (RJ-45)



WAN-verbinding		Beveiliging	
Ethernet WAN *	✓	Firewall	✓
DSL WAN *	✓	Toegang voor gasten	✓
SIM-kaartsleuf *	✗	Stateful Packet Inspection (SPI)	✓
3G/4G USB modem compatibiliteit *	✗	Ouderlijk toezicht	✓
Draadloos LAN		Design	
Wifi-band *	Dual-band (2.4 GHz / 5 GHz)	Kleur van het product	Wit
Wifi-standaard *	Wi-Fi 5 (802.11ac)	Materiaal behuizing	Kunststof
WLAN gegevensoverdrachtsnelheid (max) *	6000 Mbit/s	Ophangstelsysteem voor aan de muur	✗
Wi-Fi-standaarden	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Indicatielampje	✓
WLAN gegevensoverdrachtsnelheid (eerste band)	1200 Mbit/s	LED-indicatoren	Stroom, WLAN
WLAN gegevensoverdrachtsnelheid (tweede band)	4800 Mbit/s	Type product *	Router om neer te zetten
Netwerk		Inhoud van de verpakking	
Ethernet LAN *	✓	Meegeleverde kabels	AC, Coaxiaal, LAN (RJ-45)
Interfacetype Ethernet LAN *	10 Gigabit Ethernet	Gebruikershandleiding	✓
Ethernet LAN, data-overdrachtsnelheden	10000 Mbit/s	Snelle installatiehandleiding	✓
Mobiel netwerken		Antenne	
3G	✗	Antenne-ontwerp *	Intern
4G	✗	Antennas quantity	4
5G	✗	Afneembare antennes	✗
Poorten & interfaces		Energie	
USB-poort *	✓	Type stroombron *	AC
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type A	2	Gewicht en omvang	
Beheerfuncties		Breedte	85 mm
Web-gebaseerd management	✓	Diepte	273 mm
Wifi Multimedia (WMM)/(WME)	✓	Hoogte	209 mm
WPS Push Button Security	✓	Gewicht	1,03 kg
Intelligent Mesh-technologie	✓	Verpakking	
MU-MIMO-technologie	✗	Breedte verpakking	280 mm
MIMO	✓	Diepte verpakking	99 mm
		Hoogte verpakking	238 mm
		Gewicht verpakking	1,6 kg
		Type verpakking	Doos
		Aantal producten inbegrepen	1 stuk(s)

Beveiliging

Ondersteunde
beveiligingsalgoritmen

WPA2

Logistieke gegevens

Code geharmoniseerd systeem (HS) 85176990



4023125029950

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-SEP-2024. Prints or copies of Information are only valid on the printed Publication date