TP-Link Deco E4 (2-pack) Dual-band (2.4 GHz / 5 GHz) Wi-Fi 5 (802.11ac) Wit, Grijs Intern

Merk : TP-Link

Artikelcode: DECO E4(2-PACK)

Productnaam : Deco E4 (2-pack)

TP-Link Deco E4 (2-pack). Kleur van het product: Wit, Grijs, Soort antenne: Intern, Type product: Mesh-systeem. Wifi-band: Dual-band (2.4 GHz / 5 GHz), Wifi-standaard: Wi-Fi 5 (802.11ac), WLAN gegevensoverdrachtsnelheid (max): 1167 Mbit/s. Firewall: SPI Firewall. AC-ingangsspanning: 100 - 240 V, Ingangsstroom AC-adapter: 0,3 A, AC-ingangsfrequentie: 50 - 60 Hz. Certificaten van naleving: RoHS, CE, Certificering: FCC, IC, NCC, BSMI, IDA,RCM, JPA, JRF, VCCI, KC

Design

Product type	Mesh system
Product colour *	White, Grey
LED indicators	LAN, WLAN
Antenna type *	Internal
Antennas quantity	2
Reset button	✔

Wireless LAN features

Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)
WLAN data transfer rate (max) *	1167 Mbit/s
WLAN data transfer rate (first band)	300 Mbit/s
WLAN data transfer rate (second band)	867 Mbit/s
Networking standards	IEEE 802.11n, IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g
Security algorithms	WPA-PSK, WPA2-PSK
Number of guest networks (5 GHz)	1
Number of guest networks (2.4 GHz)	1
Dynamic IP	✔
Static IP	✔
Dynamic DNS (DDNS)	✔
Guest access	✔

Features

Quality of Service (QoS) support	✔

Ports & interfaces

Ethernet LAN (RJ-45) ports *	2
DC-in jack	✔

Power

AC input voltage	100 - 240 V
AC adapter input current	0.3 A
AC input frequency	50 - 60 Hz
AC adapter output voltage	9 V
AC adapter output current	0.85 A

Certificates

Compliance certificates	RoHS, CE
Certification	FCC, IC, NCC, BSMI, IDA,RCM, JPA, JRF, VCCI, KC

Sustainability

Sustainability compliance	✔

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width	90.7 mm
Depth	90.7 mm
Height	190 mm

Packaging content

Number of products included	2 pc(s)
AC adapter included	✔

Features

Port forwarding	✔
Firewall security	SPI Firewall
BeamForming	✔
DHCP client	✔
DHCP server	✔
Parental control	✔

Packaging content

Number of units included	2 pc(s)
Ethernet cable	✔

Packaging data

Package width	365 mm
Package depth	241 mm
Package height	105 mm
Package weight	1.73 kg

Logistics data

Harmonized System (HS) code	85171800

6935364085438

6935364086817

6935364085278