be quiet! Pure Power 12 M power supply unit 750 W 20+4 pin ATX ATX Zwart

Merk: be quiet! Artikelcode: BN343

Productnaam: Pure Power 12 M







Power		Ports & interfaces	
Total power *	750 W	PCI Express connector	✓
Peak power	820 W	Cabling type	Fully-Modular
AC input voltage *	100 - 240 V	Performance	
AC input frequency	50 - 60 Hz	80 PLUS certification *	80 PLUS Gold
Input current	10/5 A	Purpose *	PC
Power factor	0.98	Power supply unit (PSU) form factor	PC
Power Factor Correction (PFC) type	Active	*	ATX
Combined power (+3.3V)	120 W	ATX version	3.1
Combined power (+12V)	750 W	EPS version	2.92
Combined power (+5V)	120 W	Noise level	24 dB
Combined power (-12V)	3.6 W	Mean time between failures (MTBF)	100000 h
Combined power (+5Vsb)	15 W		
Max output current (+3.3V)	20 A	Design	
Max output current (+12V1)	36 A	Product colour	Black
Max output current (+12V2)	32 A	Cooling type	Active
Max output current (+5V)	20 A	Fan diameter	12 cm
Max output current (-12V)	0.3 A	Number of fans	1 fan(s)
Max output current (+5Vsb)	3 A	Fan location	Тор
Efficiency	92.6%	On/off switch	✓
Power Good signal delay range	100 - 150 ms	Operational conditions	
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit	Operating temperature (T-T)	0 - 40 °C
Ports & interfaces		Packaging content	
Motherboard power connector *	20+4 pin ATX	Cables included	PATA, PCIe, Peripheral (Molex),
Motherboard power cable length	55 cm		SATA
Number of SATA power connectors	5	Certificates	
Number of PATA power connectors	2	Compliance certificates	RoHS
SATA power cable length	500,650,800,950 mm	Weight & dimensions	
Peripheral (Molex) power connectors (4-pin) *	1	Width	160 mm
Peripheral (Molex) power cable		Depth	150 mm
length	550 mm	Height	86 mm
EPS power connector (8-pin)	✓	Technical details	
EPS power connector (4+4 pin)	1	Sustainability compliance	1
PCI Express power connectors (6+2 pin)	2	Sustainability certificates	ENERGY STAR, ErP

Ports & interfaces		Logistics data	
ATX power connector (20+4 pin)	✓	Warranty period	10 year(s)
		Other features	
		Screws included	✓
		Number of screws	5
		Cable ties included	✓
		Noise level (silent mode, <30%)	8.4 dB
		Noise level (quiet mode, 50%)	8.9 dB
		Noise level (full-load mode, 100%)	24 dB



4260052189481

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.